

REPUBLIC OF KENYA

THE NATIONAL TREASURY AND PLANNING

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

Tender No: TNT/OT/050/2024-2025

SPECIFICATIONS AND BILLS OF QUANTITIES

FOR

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

CLOSING DATED 28TH MAY, 2025 AT 11.00 A.M

Issued By: REGIONAL WORKS OFFICER STATE DEPARTMENT FOR PUBLIC WORKS P.O. BOX 42267 NAIROBI

Prepared By: REGIONAL ELECTRICAL & MECHANICAL ENGINEER (BS) WORKS STATE DEPARTMENT FOR PUBLIC WORKS P.O. BOX 42267 NAIROBI

REGIONAL QUANTITY SURVEYOR STATE DEPARTMENT FOR PUBLIC

P.O. BOX 42267 NAIROBI

TENDER DOCUMENTS FOR PROCUREMENT OF SMALL WORKS

1) NAME AND CONTACT ADDRESSES OF PROCURING ENTITY

The Principal Secretary, The National Treasury, P.O. Box 30007 – 00100, Nairobi, Kenya Email: <u>procurement@treasury.go.ke</u>

- 2) Invitation to Tender (ITT) No. TNT/OT/050/2024-2025
- 3) Tender Name: PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDING FOR THE NATIONAL TREASURY



SECTION I : INVITATION TO TENDER REPUBLIC OF KENYA THE NATIONAL TREASURY AND PLANNING PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY TENDER NO. TNT/0T/050/2024-2025

The National Treasury invites Tenders from selected candidates for the PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

Completed Tender Documents both "Original" and "Copies", enclosed in plain sealed envelope, marked with the Tender Number and be addressed to:

The Principal Secretary, The National Treasury, P. O. Box 30007 – 00100, Nairobi, Kenya

Should be Deposited in the Tender Box provided at the Treasury Building, 6th Floor, Harambee Avenue, Nairobi, so as to be received on or before **28th May**, **2025 at 11.00 a.m.**

Bids shall be accompanied by a Bid Security of Kenya Shillings Three Hundred Thousand Only (Kshs. 300,000.00) from a reputable financial institution in Kenya valid for 30 days beyond the Tender Validity period.

All Bid Documents must be serialized / paginated.

Tenders will be opened immediately after the closing date and time in the presence of candidates or their representatives who choose to attend at the Conference Room on 6th Floor, Conference Room 603 on **28th May, 2025 at 11.00 a.m.**

HEAD, SUPPLY CHAIN MANAGEMENT SERVICES. FOR: PRINCIPAL SECRETARY / NATIONAL TREASURY

DEFINITIONS

The following terms and expressions used in the contract document shall have the following meanings:

| TREASURY: | The Principal Secretary The National Treasury P.O Box 30007– 00100 NAIROBI |
|----------------------------|---|
| Project Manager: - | Contract implementation committee assisted by REGIONAL Works Officer, Nairobi |
| Engineer: | Regional Electrical and Mechanical Engineer (Building Services) |
| | STATE DEPARTMENT FOR PUBLIC WORKS Regional Works Office P. O. Box 42267 <u>NAIROBI</u> |
| Employer's Representative: | Shall mean contract implementation Committee |
| Contractor: | The Firm appointed to carry out the Works. |
| Site: | The site for the proposed works is at The National Treasury and Planning at Treasury, Nairobi |

PART 1 - TENDERING PROCEDURES

SECTION I: INSTRUCTIONS TO TENDERERS

A <u>General Provisions</u>

1. Scope of Tender

1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are **specified in the TDS**.

2. Fraud and Corruption

- 2.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 2.2 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding <u>collusive practices</u> in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 2.3 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.
- 2.4 Unfair Competitive Advantage -Fairness and transparency in the tender process require that the Firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender being tendered for. The Procuring Entity shall indicate in the **TDS** firms (if any) that provided consulting services for the contract being tendered for. The Procuring Entity shall check whether the owners or controllers of the Tenderer are same as those that provided consulting services. The Procuring Entity shall, upon request, make available to any tenderer information that would give such firm unfair competitive advantage over competing firms.

3. Eligible Tenderers

3.1 A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.7 or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. Public employees and their close relatives (*spouses, children, brothers, sisters and uncles and aunts*) are not eligible to participate in the tender. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the

authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the **TDS**.

- 3.2 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- 3.3 A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disgualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:
 - Directly or indirectly controls, is controlled by or is under common control a) with another tenderer; or
 - Receives or has received any direct or indirect subsidy from another tenderer; b) or
 - Has the same legal representative as another tenderer; or c)

or

- Has a relationship with another tenderer, directly or through common third d) parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process; or
- Any of its affiliates participated as a consultant in the preparation of the e) design or technical specifications of the works that are the subject of the tender: or
- any of its affiliates has been hired (or is proposed to be hired) by the f) Procuring Entity as Engineer for the Contract implementation; or
- Would be providing goods, works, or non-consulting services resulting from g) or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document or
- Has a close business or family relationship with a professional staff of the h) Procuring Entity who:
 - i) are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract;
 - would be involved in the implementation or supervision of such ii) Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the
- 3.4A tenderer shall not be involved in corrupt, coercive, obstructive, collusive or fraudulent practice. A tenderer that is proven to have been involved any of these practices shall be automatically disqualified.

tendering process and execution of the Contract.

3.5A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disgualification of all Tenders in which the firm is involved. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender.

- 3.6A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT 4.8.A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or sub- consultants for any part of the Contract including related Services.
- 3.7Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- 3.8Tenderers that are state-owned enterprises or institutions may be eligible to compete and be awarded a Contract(s) only if they are accredited by PPRA to be (i) a legal public entity of the state Government and/or public administration, (ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis.
- 3.9A Firms and individuals may be ineligible if their countries of origin (a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country, or (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.
- 3.10Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, subcontracts and labor) from national suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided in for this purpose is be provided in *"SECTION III EVALUATION AND QUALIFICATION CRITERIA, Item 9".*
- 3.11 Pursuant to the eligibility requirements of ITT 4.10, a tender is considered a foreign tenderer, if the tenderer is not registered in Kenya or if the tenderer is registered in Kenya and has less than 51 percent ownership by Kenyan Citizens. JVs are considered as foreign tenderers if the individual member firms are not registered in Kenya or if are registered in Kenya and have less than 51 percent ownership by Kenyan citizens. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application

for registration with National Construction Authority may be accessed from the website www.nca.go.ke.

- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke
- 3.14A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a valid tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

4. Eligible Goods, Equipment, and Services

- 4.1 Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not eligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 4.2 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

5. Tenderer's Responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 5.2The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.
- 5.3 The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity against all liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the inspection.
- 5.4The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

B. <u>Contents of Tender Documents</u>

6. Sections of Tender Document

6.1 The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 8.

PART 1 Tendering Procedures

- i) Section I Instructions to Tenderers (ITT)
- ii) Section II Tender Data Sheet (TDS)
- iii) Section III Evaluation and Qualification Criteria
- iv) Section IV Tendering Forms

PART 2 Works Requirements

- i) Section V Drawings
- ii) Section VI Specifications
- iii) Section VII Bills of Quantities

PART 3 Conditions of Contract and Contract Forms

- i) Section VIII General Conditions of Contract (GCC)
- ii) Section IX Special Conditions of Contract (SC)
- iii) Section X Contract Forms
- 6.2 The Invitation to Tender Document (ITT) issued by the Procuring Entity is not part of the Contract documents.
- 6.3 Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 8. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.

The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

7. Site Visit

7.1 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Required Services and its surroundings and obtain all information that may be necessary for preparing the Tender and entering into a contract for the Services. The costs of visiting the Site shall be at the Tenderer's own expense.

8. Pre-Tender Meeting

- 8.1 The Procuring Entity shall specify in the **TDS** if a pre-tender meeting will be held, when and where. The Procuring Entity shall also specify in the **TDS** if a pre-arranged pretender site visit will be held and when. The Tenderer's designated representative is invited to attend a pre-arranged pretender visit of the site of the works. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.2 The Tenderer is requested to submit any questions in writing, to reach the Page 10 of 197

Procuring Entity not later than the period specified in the **TDS** before the meeting.

- 8.3 Minutes of the pre-Tender meeting and the pre-arranged pretender site visit of the site of the works, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT 6.3. Minutes shall not identify the source of the questions asked.
- 8.4 The Procuring Entity shall also promptly publish anonym zed (*no names*) Minutes of the pre-Tender meeting and the pre-arranged pretender visit of the site of the works at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-tender meeting and the pre-arranged pretender site visit, shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Nonattendance at the pre-Tender meeting will not be a cause for disqualification of a Tenderer.

9. Clarification and amendments of Tender Documents

9.1 A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting and the pre- arranged pretender visit of the site of the works if provided for in accordance with ITT 8.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender Documents in accordance with ITT 6.3, including a description of the inquiry but without identifying its source. If specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents appropriately following the procedure under ITT 8.4.

10. Amendment of Tendering Document

- 10.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tendering document by issuing addenda.
- 10.2 Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tendering document from the Procuring Entity in accordance with ITT 6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's web page in accordance with ITT 8.4.
- 10.3 To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity shall extend, as necessary, the deadline for submission of Tenders, in accordance with ITT 25.2 below.

C. <u>Preparation of Tenders</u>

11. Cost of Tendering

11.1 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

12. Language of Tender

12.1 The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

13. Documents Comprising the Tender

- 13.1 The Tender shall comprise the following:
 - a) Form of Tender prepared in accordance with ITT 14;
 - b) Schedules including priced Bill of Quantities, completed in accordance with ITT 14 and ITT 16;
 - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 21.1;
 - d) Alternative Tender, if permissible, in accordance with ITT 15;
 - e) Authorization: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 22.3;
 - f) Qualifications: documentary evidence in accordance with ITT 19establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
 - g) Conformity: a technical proposal in accordance with ITT 18;
 - h) Any other document required in the **TDS**.
- 14 In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed Agreement. The Tenderer shall chronologically serialize pages of all tender documents submitted.
- 14.1 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

14. Form of Tender and Schedules

14.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested.

15. Alternative Tenders

- 15.1 Unless otherwise specified in the **TDS**, alternative Tenders shall not be considered.
- 15.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and

Qualification Criteria.

15.3 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity. When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

16. Tender Prices and Discounts

- 16.1 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.
- 16.2 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- 16.3 The price to be quoted in the Form of Tender, in accordance with ITT 14.1, shall be the total price of the Tender, including any discounts offered.
- 16.4 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 14.1.
- 16.5 It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except in cases where the contract is subject to <u>fluctuations and adjustments</u>, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- 16.6 Where tenders are being invited for individual lots (contracts)or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 16.4, provided the Tenders for all lots (contracts) are opened at the same time.
- 16.7 All duties, taxes, and other levies payable by the Contractor under the Contract,

or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

17. Currencies of Tender and Payment

17.1 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings. A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya shall device own ways of getting foreign currency to meet those expenditures.

18. Documents Comprising the Technical Proposal

18.1 The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, in sufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

19. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 19.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- 19.2 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 19.3 A margin of preference will not be allowed. Preference and reservations will be allowed, individually or in joint ventures. Applying for eligibility for Preference and reservations shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 19.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, <u>a</u> <u>contractor or group of contractors</u> qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 19.5 The purpose of the information described in ITT 19.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- 19.6 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided

by the tenderer under ITT 6.3. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.

- 19.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 19.8 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 19.9 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
 - i) if the procurement process is still ongoing, the tenderer will be disqualified from the procurement process,
 - ii) if the contract has been awarded to that tenderer, the contract award will be set aside,
 - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other persons have committed any criminal offence.
- 19.10 If a tenderer submits information pursuant to these requirements that is incomplete, inaccurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

20. Period of Validity of Tenders

- 20.1 Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 24). A Tender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 20.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 21.1, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tender security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except

as provided in ITT 20.3.

- 20.3 If the award is delayed by a period exceeding the number of days to be specified in the **TDS** days beyond the expiry of the initial tender validity period, the Contract price shall be determined as follows:
 - a) in the case of **fixed price** contracts, the Contract price shall be the tender price adjusted by the factor specified in the **TDS**;
 - b) in the case of **adjustable price** contracts, no adjustment shall be made; or in any case, tender evaluation shall be based on the tender price without taking into consideration the applicable correction from those indicated above.

21. Tender Security

- 21.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency specified in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 21.2 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
 - a) an unconditional Bank Guarantee issued by reputable commercial bank); or
 - b) an irrevocable letter of credit;
 - c) a Banker's cheque issued by a reputable commercial bank; or
 - d) another security specified in the TDS,
- 21.3 If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 20.2.
- 21.4 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- 21.5 If a Tender Security is specified pursuant to ITT 21.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the **TDS**. The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined nonresponsive or a bidder declines to extend tender validity period.
- 21.6 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the **TDS**.
- 21.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
 - e) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension thereto provided by the Tenderer; or

- f) if the successful Tenderer fails to:
 - i) sign the Contract in accordance with ITT 50; or
 - ii) furnish a Performance Security and if required in the **TDS**, and any other documents required in the **TDS**.
- 21.8 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA that PPRA debars the Tenderer from participating in public procurement as provided in the law.
- 21.9 The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- 21.10A tenderer shall not issue a tender security to guarantee itself.

22. Format and Signing of Tender

- 22.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 13 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 15, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 22.2 Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 22.3 The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 22.4 In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 22.5 Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. Submission and Opening of Tenders

- 23. Sealing and Marking of Tenders
- 23.1 Depending on the sizes or quantities or weight of the tender documents, a tenderer may use an envelope, package or container. The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container

bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:

- a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
- b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
- c) if alternative Tenders are permitted in accordance with ITT 15, and if relevant:
 - i) in an envelope or package or container marked "ORIGINAL ALTERNATIVE TENDER", the alternative Tender; and
 - ii) in the envelope or package or container marked "COPIES-ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity.
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- 23.2 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders that are misplaced or opened prematurely will not be accepted.

24. Deadline for Submission of Tenders

- 24.1 Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- 24.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

25. Late Tenders

25.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 24. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

26. Withdrawal, Substitution, and Modification of Tenders

- 26.1 A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 22.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
 - a) prepared and submitted in accordance with ITT 22 and ITT 23 (except that Page 18 of 197

withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and

- b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 24.
- 26.2 Tenders requested to be withdrawn in accordance with ITT 26.1 shall be returned unopened to the Tenderers.
- 26.3 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

27. Tender Opening

- 27.1 Except in the cases specified in ITT 23 and ITT 26.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified in the **TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 24.1, shall be as specified in the **TDS**.
- 27.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened, but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- 27.3 Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- 27.4 Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 27.5 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 27.6 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bills of Quantities are to be initialed by the members of the tender opening committee attending the opening. The number of representatives of the Procuring Entity to sign shall be specified in the **TDS**.
- 27.7 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 25.1).

- 27.8 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:
 - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security, if one was required.
 - e) number of pages of each tender document submitted.
- 27.9 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers upon request.

E. Evaluation and Comparison of Tenders

28. Confidentiality

- 28.1 Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 46.
- 28.2 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- 28.3 Notwithstanding ITT 28.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

29. Clarification of Tenders

- 29.1 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for a response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 33.
- 29.2 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

30. Deviations, Reservations, and Omissions

30.1 During the evaluation of tenders, the following definitions apply:

- a) "Deviation" is a departure from the requirements specified in the tender document;
- b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document;

and

c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

31. Determination of Responsiveness

- 31.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 13.
- 31.2 A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
 - a) affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or
 - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract; or
 - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 31.3 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 18, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 31.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

32. Non-material Non-conformities

- 32.1 Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 32.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non- conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- **32.3** Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable nonmaterial non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the **TDS**.

33. Arithmetical Errors

33.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or

amendment in any way by any person or entity.

- 33.2 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
 - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
 - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, and subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail
- 33.3 Tenderers shall be notified of any error detected in their bid during the notification of a ward.

34. Currency provisions

34.1 Tenders will priced be in Kenya Shillings only. Tenderers quoting in currencies other than in Kenya shillings will be determined non-responsive and rejected.

35. Margin of Preference and Reservations

- 35.1 No margin of preference shall be allowed on contracts for small works.
- 35.2 Where it is intended to reserve the contract to specific groups under Small and Medium Enterprises, or enterprise of women, youth and/or persons living with disability, who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses/firms belonging to those specified groups are the only ones eligible to tender. Otherwise if no so stated, the invitation will be open to all tenderers.

36. Nominated Subcontractors

- 36.1 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected in advance by the Procuring Entity.
- 36.2 Tenderers may propose subcontracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 36.3 The subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated by the Procuring Entity in the **TDS** as can be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

37. Evaluation of Tenders

37.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Page 22 of 197 Procuring Entity shall determine the Best Evaluated Tender in accordance with ITT 40.

37.2 To evaluate a Tender, the Procuring Entity shall consider the following:

- a) price adjustment due to discounts offered in accordance with ITT 16;
- b) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 39;
- c) price adjustment due to quantifiable nonmaterial non-conformities in accordance with ITT 30.3; and
- d) any additional evaluation factors specified **in the TDS** and Section III, Evaluation and Qualification Criteria.
- 37.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- 37.4 In the case of multiple contracts or lots, Tenderers shall be allowed to tender for one or more lots and the methodology to determine the lowest evaluated cost of the lot (contract) combinations, including any discounts offered in the Form of Tender, is specified in Section III, Evaluation and Qualification Criteria.

38. Comparison of Tenders

38.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 38.2 to determine the Tender that has the lowest evaluated cost.

39. Abnormally Low Tenders

- 39.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 39.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 39.3 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

40. Abnormally High Tenders

40.1 An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.

- 40.2 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
 - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
 - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 40.3 If the Procuring Entity determines that the Tender Price is abnormally too high because <u>genuine competition between tenderers is compromised</u> (*often due to collusion, corruption or other manipulations*), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

41. Unbalanced and/or Front-Loaded Tenders

- 41.1 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or front loaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 41.2 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
 - a) accept the Tender; or
 - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price; or
 - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works; or
 - d) reject the Tender,

42. Qualifications of the Tenderer

- 42.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 42.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 19. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors if permitted in the Tender

document), or any other firm(s) different from the Tenderer.

- 42.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.
- 42.4 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price.
- 42.5 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 42.6 After evaluation of the price analyses, if the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

43. Best Evaluated Tender

- 43.1 Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Best Evaluated Tender. The Best Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:
 - a) Most responsive to the Tender document; and
 - b) the lowest evaluated price.

44. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.

44.1 The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without thereby incurring any liability to Tenderers. In case of annulment, all Tenderers shall be notified with reasons and all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

F. Award of Contract

45. Award Criteria

45.1 The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

46. Notice of Intention to enter into a Contract

46.1 Upon award of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract / Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instructions on how to request a debriefing and/or submit a complaint during the standstill period;

47. Standstill Period

- 47.1 The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- 47.2 Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

48. Debriefing by the Procuring Entity

- 48.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 46, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- 48.2 Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

49. Letter of Award

49.1 Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the <u>Letter of Award</u> to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21days of the date of the letter.

50. Signing of Contract

- 50.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- 50.2 Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 50.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period

51. Appointment of Adjudicator

51.1 The Procuring Entity proposes the person named in the **TDS** to be appointed as Adjudicator under the Contract, at the hourly fee specified in the **TDS**, plus

reimbursable expenses. If the Tenderer disagrees with this proposal, the Tenderer should so state in his Tender. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the Special Conditions of Contract (SCC) pursuant to Clause 23.1 of the General Conditions of Contract (GCC), to appoint the Adjudicator.

52. Performance Security

- 52.1 Within twenty-one (21) days of the receipt of the Letter of Acceptance from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 40.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- 52.2 Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS**, or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- 52.3 Performance security shall not be required for contracts estimated to cost less than Kenya shillings five million shillings.

53. Publication of Procurement Contract

- 53.1 Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:
 - a) name and address of the Procuring Entity;
 - b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
 - c) the name of the successful Tenderer, the final total contract price, the contract duration.
 - d) dates of signature, commencement and completion of contract;
 - e) names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening.

54. Procurement Related Complaints and Administrative Review

- 54.1 The procedures for making Procurement-related Complaints are as specified in the **TDS**.
- 54.2 A request for administrative review shall be made in the form provided under contract forms.

Section II - Tender Data Sheet (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall

| A General | | | |
|---------------|---|---|--|
| ITT 1.1 | The reference number of the Request for Bids is: TNT/OT/050/2024 - 2025 | | |
| | The Procuring Entity is: The National Treasury | | |
| | The name of the ITT is: Proposed Maintenance of Plumbing, Drainage and Sanitary Appliances at Treasury Building, Herufi and Bima House Buildings for The National Treasury. | | |
| | The number and identification of lots (contracts) comprising this Tender is: N/A | | |
| ITT 2.3 | The infor | mation made available on competing firms is as follows; N/A | |
| ITT 2.4 | | The firms that provided consulting services for the contract being tendered for are; N/A | |
| ITT 3.1 | Maximum number of members in the Joint Venture (JV) shall be: N/A | | |
| B. Content of | Tender Do | ocument | |
| ITT 8.1 | a) Pre-tender visit of the site will be held and is N/A: | | |
| ITT 8.2 | | erer will submit any questions in writing to reach the Procuring t later than; 3 days before the Tender Opening Date | |
| ITT 8.4 | The Procuring Entity's website where minutes of the pre-tender meeting and pre-arranged pretender site visit will be published is: N/A | | |
| ITT 9.1 | For clarification of tender purpose, for obtaining further information and for purchasing tender documents, the Procuring Entity's address is; | | |
| | The Principal Secretary | | |
| | The National Treasury | | |
| | Treasury Building, Harambee Avenue 6 th Floor Room 619 | | |
| | | Koom 619 (30007-00100 | |
| | Nairobi, I | | |
| | | 2252299 | |
| | | ocurement@treasury.go.ke | |
| C Preparation | | | |
| ITT 13.1 (h) | The Tenc Tender; | derer shall submit the following additional documents in its | |
| | S/NO | Description | |
| | 1. | Certified Copy of certificate of registration /Incorporation. The company must be registered in Kenya and fully owned by Kenyans. | |
| | 2. | Certified Copy of Current Category of Registration with National Construction Authority (NCA) in the relevant trade; NCA 5 and above In Mechanical Engineering Works- Plumbing and Drainage Services | |

| 3. | Certified Copy of Current Practicing Licences with National Construction Authority (NCA) in the relevant trade; NCA 5 and above In Mechanical Engineering Works- Plumbing and Drainage Services |
|-----|---|
| 4. | Certified Copy of Current County Government Single Business Permit |
| 5. | Dully filled, signed and stamped Form of Tender |
| 6. | Provide Original Tender Security in the amount of Kenya Shillings Five Million Five Hundred Thousand Only (Kshs. 500,000.00) from a reputable Bank or by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Public Procurement Regulatory Authority in Kenya valid for 30 days beyond the Tender Validity period (For joint ventures the same shall be provided by the Lead / prime bidder). |
| 7. | Copy of Valid Tax Compliance Certificate; issued by Kenya Revenue Authority (KRA) including Pin certificate. |
| 8. | Certified Copy of Certificate of Confirmation of Directors and Shareholding (CR 12) for Limited company or ID copies for sole proprietors. It should be within Six Months. |
| 9. | Dully filled Signed and Stamped Confidential Business Questionnaire; |
| 10. | Declaration that the firm has not been debarred from participating in public procurement proceedings. |
| 11. | Declaration that the firm has not been convicted of corrupt or fraudulent practices and that it will not engage in any corrupt or fraudulent practice. |
| 12. | Clearly marked "original" and "copy" of tender documents should be properly Tape Bound and paginated in the correct sequence with clear up to date table of content and all pages must be initialled or signed or stamped. NB: Spiral Binding and use of Spring or Box Files will not be allowed and will result in automatic disqualification. Lack of up-to-date table of content will lead to disqualification |
| 13. | Dully filled, signed and stamped Site Visit Certification Form |
| 14. | Dully filled, signed and stamped Site Visit Attendance Register |
| 15. | Power of Attorney giving the name of the person who should be signing the bid, authorizing him to submit / execute the agreement as a binding document |
| 16. | Dully filled, signed and stamped Price Schedule Rates in the format provided |
| 17. | Submit the required number of copies i.e. One (1) Original and Three (3) Copies |

| | Note that; a. Site visit and inspection to be done before quoting and will be open daily up to Three (3) days before Tender submission |
|--------------|---|
| | All copies that require certifications shall be undertaken by an Advocate and Commissioner of Oaths of the High Court of Kenya |
| | NB: - A tenderer who fails to meet the mandatory requirements shall |
| | be disqualified from further evaluation. |
| ITT 15.1 | Alternative Tenders shall not be considered. |
| ITT 15.2 | Alterative times for completion shall not be allowed |
| ITT 15.3 | Alternative technical solution shall be permitted for the following parts |
| | of the works – N/A |
| ITT 16.5 | The prices quoted by the Tenderer shall be: Fixed |
| ITT 20.1 | The Tender validity period shall be 180 days |
| ITT 21.2 | The other tender security shall be: Bid Security of Kenya Shillings Five |
| | Hundred (Kshs 500,000.00) from a reputable Bank or by an insurance |
| | company registered and licensed by the Insurance Regulatory Authority listed by the Public Procurement Regulatory Authority in Kenya valid for |
| | 30 days beyond the Tender Validity period |
| ITT 21.5 | The Performance Security shall be: 10% of the contract sum from a |
| | reputable Bank |
| ITT 21.9 | The Procuring Entity shall declare the Tenderer ineligible to be awarded |
| | a contract by the Procuring Entity: Not Applicable. |
| ITT 22.1 | In addition to the original copy of the Tender, the number of copies |
| | shall be One (1) Original and Three (3) Copies. |
| ITT 22.3 | The written confirmation of authorization to sign on behalf of the |
| | Tenderer shall consist of: Power of Attorney giving the name of the |
| | person who should be signing the bid, authorizing him to submit / execute the agreement as a binding document. |
| D Submission | and Opening of Tenders |
| ITT 24.1 | |
| | For Tender submission purposes_the Procuring Entity's address is: |
| | The Principal Secretary |
| | The National Treasury |
| | Treasury Building, Harambee Avenue |
| | P.O. BOX 30007-00100 |
| | Nairobi, Kenya |
| | |
| | The tender documents shall be deposited in Tender Box located at the |
| | Treasury Building, Sixth (6 th) Floor, Harambee Avenue, Nairobi, Kenya. |
| | Bulky tender documents that cannot fit in the tender box shall be delivered and registered on Sixth (6th) Floor, Room Number 619 at the Treasury Building, Harambee Avenue, Nairobi, Kenya. |
| | Date and time for submission of tenders; |
| | Date 28 th May, 2025 |
| | Time 11.00 a.m. |
| | Tenders SHALL NOT be submitted electronically |

| ITT 27.1 | The Tender opening shall take place at: |
|---------------|---|
| | The National Treasury Treasury Building, Harambee Avenue Conference Room 603 on 6 th Floor Nairobi, Kenya |
| | Tender opening date and time will be on 28th May, 2025 at 11.00 a.m. (East Africa Time) |
| ITT 27.6 | The number of representatives of Procuring Entity to sign is: |
| | The Form of Tender and Price Schedules shall be initialed by all members of the tender opening committee of the Procuring Entity conducting Tender opening. |
| E. Evaluation | a, and Comparison of Tenders |
| ITT 32.3 | The adjustment shall be based on the [<i>insert "average" or "highest"</i>] prices of the items or component as quoted in other substantially responsive tenders. If the price of the item or component cannot be derived from the price of other substantially responsive tenders, the Procuring Entity shall use its best estimates. This shall not be permitted. |
| ITT 35.2 | The invitation to tender is extended to the following group that qualify for Reservation: Not Applicable |
| ITT 36.1 | At this time, the Procuring Entity does not intend to execute certain specific parts of the Works by subcontractors selected in advance |
| ITT 36.2 | Contractor's may propose subcontracting: maximum percentage of subcontracting permitted is 0% of the total contract amount. Tenderers planning to subcontract more than 10% of the total volume of work shall specify, in the Form of Tenders, the activity(ies) or part of the works to be subcontracted along with complete details of the subcontractors and their qualifications and experience – Not Applicable |
| ITT 36.3 | The parts of the works for which the Procuring Entity permits Tenderer's to propose specialized subcontractors are designated as follows; Not Applicable |
| ITT 37.2 (d) | Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and Qualification Criteria Not Applicable |
| ITT 51.1 | The person names to be appointed as adjudicator is; Not Applicable |
| ITT 52.1 | Other documents required are: Not Applicable |
| | |

| ITT 53.1 | If a Tenderer wishes to make a Procurement-related Complaint, to the Public Procurement Regulatory Authority at any time prior to contract award, the Tenderer should submit its complaint in prescribed format found in the PPRA website www.ppra.go.ke and mail it to: info@ppra.go.ke or complaint@ppra.go.ke |
|----------|---|
| | The procedures for challenging a contract award to the Public Procurement Administrative Review Board are detailed in the "Notice of Intention to Enter into a Contract" herein and are also available from the PPRA website www.ppra.go.ke. The request for review should be submitted to the Secretary of the Review Board using the request for review form contained herein. |
| | The address for submitting appeals to Administrative Review Board: |
| | The Secretary, Public Procurement Administrative Review Board, The Public Procurement Oversight Authority, KISM Towers, 6 th Floor, Ngong Road, P.O. Box 58583-00200, NAIROBI, Kenya. Tel: +254 (0) 20 3244000 Email: <u>info@ppra.go.ke</u> Website: <u>www.ppoa.go.ke</u> |
| | In summary, a Procurement-related Complaint may challenge any of the following: |
| | (i) The terms of the Tender Documents; and |
| | (ii) The Procuring Entity's decision to award the contract. |

SECTION III

EVALUATION AND QUALIFICATION CRITERIA

Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:

- a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- b) Value of single contract Exchange rate prevailing on the date of the contract signature.
- c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use <u>the Standard Tender Evaluation Document for Goods and Works</u> for evaluating Tenders.

Evaluation and contract award Criteria

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements of "Part 2 – Procuring Entity's Works Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, abnormally high tenders and tenders that are front loaded. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered irresponsive and will not be considered further.

a. Mandatory Requirements

| | REQUIREMENT | YES/N O | CROSS REFERENCE DOCUMENT | IN |
|----|---|------------|--------------------------------|----|
| 1. | Certified Copy of certificate of registration | | | |
| | /Incorporation. The company must be registered in | | | |
| | Kenya and fully owned by Kenyans. | | | |
| 2. | Certified Copy of Current Category of Registration with | | | |
| | National Construction Authority (NCA) in the relevant | | | |
| | trade; NCA 5 and above In Mechanical Engineering | | | |
| | Works- Plumbing and Drainage Services | | | |
| 3. | Certified Copy of Current Practicing Licences with | | | |
| | National Construction Authority (NCA) in the relevant | | | |
| | trade; NCA 5 and above In Mechanical Engineering | | | |

| | Works- Plumbing and Drainage Services | |
|-----|---|--|
| 4. | Certified Copy of Current County Government Single | |
| | Business Permit | |
| 5. | Dully filled, signed and stamped Form of Tender | |
| 6. | | |
| | Provide Original Tender Security in the amount of | |
| | Kenya Shillings Five Million Five Hundred Thousand | |
| | Only (Kshs. 500,000.00.00) from a reputable Bank or by an insurance company registered and licensed by the | |
| | Insurance Regulatory Authority listed by the Public | |
| | Procurement Regulatory Authority in Kenya valid for 30 | |
| | days beyond the Tender Validity period (For joint | |
| | ventures the same shall be provided by the Lead / prime | |
| | bidder). | |
| 7. | Copy of Valid Tax Compliance Certificate; issued by | |
| | Kenya Revenue Authority (KRA) including Pin certificate. | |
| 8. | Certified Copy of Certificate of Confirmation of | |
| | Directors and Shareholding (CR 12) for Limited company | |
| | or ID copies for sole proprietors. It should be within Six | |
| | Months. | |
| 9. | Dully filled Signed and Stamped Confidential Business | |
| 10 | Questionnaire; | |
| 10. | Declaration that the firm has not been debarred from | |
| 11. | participating in public procurement proceedings. Declaration that the firm has not been convicted of | |
| 11. | corrupt or fraudulent practices and that it will not | |
| | engage in any corrupt or fraudulent practice. | |
| 12. | Clearly marked "original" and "copy" of tender | |
| | documents should be properly Tape Bound and | |
| | paginated in the correct sequence with clear up to date | |
| | table of content and all pages must be initialled or | |
| | signed or stamped. NB: Spiral Binding and use of Spring | |
| | or Box Files will not be allowed and will result in | |
| | automatic disqualification. Lack of up-to-date table of | |
| | content will lead to disqualification. | |
| 13. | Dully filled, signed and stamped Site Visit Certification | |
| | Form | |
| 14. | Dully filled, signed and stamped Site Visit Attendance | |
| 1 - | Register | |
| 15. | Power of Attorney giving the name of the person who | |
| | should be signing the bid, authorizing him to submit / | |
| 16. | execute the agreement as a binding document | |
| 10. | Dully filled, signed and stamped Price Schedule Rates in the format provided. | |
| 17. | Submit the required number of copies i.e. One (1) | |
| | Original and Three (3) Copies | |
| | | |

Note that;

c. Site visit and inspection to be done before quoting and will be open daily up to Three (3) days before Tender submission

d. All copies that require certifications shall be undertaken by an Advocate and Commissioner of Oaths of the High Court of Kenya

NB: - A tenderer who fails to meet the mandatory requirements shall be disqualified from further evaluation

Stage II : - Technical Evaluation Stage

A) Assessment for eligibility

The tender document shall be examined based on clause 2.2 of the Instruction to Tenderers which states as follows:

"In accordance with clause 2.2 of Instruction to Tenderers, the tenderers will be required to provide evidence for eligibility of the award of the tender by satisfying the employer of their eligibility under sub clause 2.1 of Instruction to Tenderers and adequacy of resources to effectively carry out the subject contract. The tenderers shall be required to fill the Standard Forms provided for the purposes of providing the required information. The tenderers may also attach the required information if they so desire.

The award of points for the STANDARD FORMS considered in this section shall be as shown below

| | PARAMETER | MAXIMUM POINTS |
|--------|--|----------------|
| (i) | Tender Questionnaire | 5 |
| (ii) | Key personnel | 20 |
| (iii) | Contract Completed in the last Five (5) years | 15 |
| (iv) | Schedules of on-going projects | 8 |
| (v) | Schedules of contractors equipment | 20 |
| (vi) | Audited Financial Report for the last 3 years | 10 |
| (vii) | Evidence of Financial Resources | 15 |
| (viii) | Name, Address and Telephone of Banks (Contractor to provide) | 5 |
| (ix) | Litigation History | 2 |
| | TOTAL | 100 |

The detailed scoring plan shall be as shown in table 1 below: -

TABLE 1: Assessment for Eligibility

b. Technical Evaluation Criteria

| s/no | Description | Max Scores |
|------|---|------------|
| 1. | Tender Questionnaire Form | 5mks |
| | Completely filled5mks | |
| | Not filledOmks | |
| 2. | Key Personnel (Attach certificates) | |
| | Director of the firm | |
| | Holder of degree in a relevant Engineering field 6mks | Caralia |
| | Holder of diploma in relevant Engineering field 3mks | 6mks |
| | Holder of certificate in relevant Engineering field 2 mks | |
| | No relevant certificate Omks | |
| 3. | At least 1 No. degree/diploma holders of the key personnel in | |
| | relevant field | |
| | • With over 10 years' relevant experience 6marks | 6mks |
| | • With over 5 years' relevant experience 4mks | |
| | • With under 5 years' relevant experience 2mks | |
| 4. | At least 1 No. certificate holder of key personnel in relevant field | |
| | • With over 10 years' relevant experience 4marks | 4mks |
| | With over 5 years' relevant experience 3marks | |
| | • With under 5 years' relevant experience 1marks | |
| 5. | At least 2 No. Artisan trade certificate in relevant field | |
| | • With over 10 years' relevant experience 4marks | |
| | With under 10 years' relevant experience 3marks | 4mks |
| | • Non skilled worker with over 10 years relevant experience | |
| | 1marks | |
| 6. | Contracts completed in the last five (5) years; a max of 5 No. projects (Attach <i>completion certificates</i>) | |
| | • Project of similar nature, complexity and magnitude. | 20mkc |
| | 4marks each | 20mks |
| | • Project of similar nature but of lower value than the one in | |
| | consideration 3 marks each | |
| 1 | No completed project of similar nature 0 marks | |
| 1. | On-going projects (A max of 5 No. projects) (Attach <i>copies of award letters</i>) | |
| | • Four Project of similar nature, complexity and magnitude - 2 | 8mks |
| | marks each | OTIKS |
| | Three Project of similar nature complexity and magnitude 2 marks each | |
| | No ongoing project of similar nature0 marks each | |
| 2. | Schedules of contractor's relevant equipment's and vehicles (Attach evidence / proof of ownership or lease agreement) | 20 |

| | Totals | 100 |
|----|---|-----|
| | Has not filled the litigation history 0 | |
| 2. | Has dully filled the litigation history 2 | 2 |
| 5. | Litigation History | |
| | Has financial resources below 50% of the cost of the project 5marks Has not given evidence for the financial resources 0marks | |
| | 50% of the cost of the project 10marks | |
| | Has financial resources below the cost of the project, but over | 15 |
| | • Has financial resources equal or above the cost of the project | |
| 4. | Evidence of financial resources (cash in hand, lines of credit, over draft facility etc.) | |
| | 3 (Copies must be Certified by an advocate and signed by auditors) | |
| | the project6 Average Turnover below 50% of the cost of the project | |
| | • Average Annual Turnover above but below 100% of the cost of | 10 |
| | Average Annual Turn-over equal to or greater than the cost of the project 10 | 10 |
| | a) Audited Financial report (last three (3) years | |
| 3. | Financial report: | |
| | • No relevant equipment for work being tendered for - 0 marks | |
| | •Has relevant equipment for work being tendered for -10 marks | |
| | b) Relevant Equipment | |
| | No means of transport - 0 marks | |
| | Means of Transport (vehicle) - 10 marks | |
| | a) Relevant Transport | |

The pass mark shall be 75%

Any bidder who scores 75% and above in this Technical Evaluation shall be considered for financial evaluation

- i) **Tender Evaluation (ITT 35) Price evaluation**: in addition to the criteria listed in ITT 35.2 (a)-(c) the following criteria shall apply:
- Alternative Completion Times, if permitted under ITT 13.2, will be evaluated as follows: Not Applicable
- **iii)** Alternative Technical Solutions for specified parts of the Works, if permitted under ITT 13.4, will be evaluated as follows: Not Applicable
- iv) Other Criteria; if permitted under ITT 35.2(d): Not Applicable

2. Multiple Contracts

Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

OPTION 1

i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.

ii) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

OPTION 2

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combinations with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combinations provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

Alternative Tenders (ITT 13.1)

An alternative if permitted under ITT 13.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2- Works Requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

Margin of Preference is not applicable

Post qualification and Contract ward (ITT 39), more specifically,

- a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of pre-qualification data, if so required.
- b) In case the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions.
 - i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Kenya Shillings N/A
 - ii) Minimum <u>average</u> annual construction turnover of Kenya Shillings_100 Million or equivalent calculated as total certified payments received for contracts in progress and/or completed within the last<u>five</u> years.
 - iii) At least <u>five</u> of contract(s) of a similar nature executed within Kenya, or the East African Community or abroad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings <u>20 million</u> equivalent.
 - iv) Contractor's Representative and Key Personnel, which are specified as <u>N/A</u>
 - *v)* Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as [specify requirements for each lot as applicable]
 - vi) Other conditions depending on their seriousness.

a) **History of non-performing contracts**:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non- performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last <u>FIVE (specify years)</u>. The required information shall be furnished in the appropriate form.

b) **Pending Litigation**

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

c) Litigation History

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last <u>FIVE</u> years. All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

3. <u>QUALIFICATION FORM SUMMARY</u>

| 1 | 2 | 3 | 4 | 5 |
|-------------|---|---|---|---|
| Item No. | Qualification Subject | Qualification Requirement | Document To be Completed by Tenderer | For Procuring Entity's Use (Qualification met or Not Met) |
| 1 | Nationality | Nationality in accordance with ITT 3.6 | Forms ELI – 1.1 and 1.2, with attachments | |
| 2 | Tax Obligations for Kenyan Tenderers | Has produced a current tax clearance certificate or tax exemption certificate issued by the the Kenya Revenue Authority in accordance with ITT 3.14. | Form of Tender | |
| 3 | Conflict of Interest | No conflicts of interest in accordance with ITT 3.3 | Form of Tender | |
| 4 | PPRA Eligibility | Not having been declared ineligible by the PPRA as described in ITT 3.8 | Form of Tender | |
| 5 | State- owned Enterprise | Meets conditions of ITT 3.7 | Forms ELI – 1.1 and 1.2, with attachments | |
| 6 | Goods, equipment and services to be supplied under the contract | To have their origin in any country that is not determined ineligible under ITT 4.1 | Forms ELI – 1.1 and 1.2, with attachments | |
| 7 | History of Non- Performing Contracts | Non-performance of a contract did not occur as a result of contractor default since 1 st January []. | Form CON-2 | |
| 8 | Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity | Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9 | Form of Tender | |
| 9 | Pending Litigation | Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer. | Form CON – 2 | |
| 10 | Litigation History | No consistent history of court/arbitral award decisions against the Tenderer since 1 st January <i>[insert year]</i> | Form CON – 2 | |
| 11 | Financial Capabilities | (i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings <i>[insert amount]</i> equivalent for the subject contract(s) net of the Tenderer's other commitments. (ii) The Tenderers shall also demonstrate, to the satisfaction | Form FIN – 3.1, with attachments | |

| 1 | 2 | 3 | 4 | 5 |
|-------------|--|--|---|---|
| Item No. | Qualification Subject | Qualification Requirement | Document To be Completed by Tenderer | For Procuring Entity's Use (Qualification met or Not Met) |
| | | of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments. | | |
| | | (iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last <i>[insert</i> <i>number of years]</i> years shall be submitted and must demonstrate the current soundness of the Tenderer's financial position and indicate its prospective long-term profitability. | | |
| 12 | Average Annual Construction Turnover | Minimum average annual construction turnover of Kenya Shillings <i>[insert amount]</i> , equivalent calculated as total certified payments received for contracts in progress and/or completed within the last three years, divided by <i>[insert number of years]</i> years | Form FIN – 3.2 | |
| 13 | General Construction Experience | Experience under construction contracts in the role of prime contractor, JV member, sub-contractor, or management contractor for at least the last three years, starting 1 st January <i>[insert year]</i> . | Form EXP – 4.1 | |
| | Specific Construction & Contract Management Experience | A minimum number of five similar contracts specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 1st January [<i>insert year</i>] and tender submission deadline i.e. (number) contracts, each of minimum value Kenya shillings 20 million or . equivalent. [<i>In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4]</i> | Form EXP 4.2(a) | |

| ъ л 1 | 2 | 3 | 4 | 5 |
|-------------|-------------------------|--|---|---|
| Iter No. | n Qualification Subject | Qualification Requirement | Document To be Completed by Tenderer | For Procuring Entity's Use (Qualification met or Not Met) |
| | | The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3] | | |

QUALIFICATION FORMS

1. FORM EQU: EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

| Item of equipme | Item of equipment | | | | |
|-----------------------|----------------------------------|-------------|--------|------------------------|--|
| | | | | | |
| Equipment information | Name of manufac | turer | | Model and power rating | |
| | Capacity | | | Year of manufacture | |
| Current status | Current location | | | | |
| | Details of current | commitments | | | |
| Source | Indicate source of the equipment | | | | |
| | | □ Rented | Leased | Specially manufactured | |

Omit the following information for equipment owned by the Tenderer.

| Owner | Name of owner | | | |
|------------|---|------------------------|--|--|
| | Address of owner | | | |
| | | | | |
| | | | | |
| | Telephone | Contact name and title | | |
| | Fax | Telex | | |
| Agreements | ements Details of rental / lease / manufacture agreements specific to the project | | | |
| | | | | |
| | | | | |
| | | | | |

2. FORM PER -1

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Contractor' Representative and Key Personnel

| 1. | Title of position: Contrac | ctor's Representative | | |
|----|------------------------------|--|--|--|
| | Name of candidate: | | | |
| | Duration of | [insert the whole period (start and end dates) for which this position will be | | |
| | appointment: | engaged] | | |
| | Time commitment: for | [insert the number of days/week/months/ that has been scheduled for this | | |
| | this position: | position] | | |
| | Expected time schedule | [insert the expected time schedule for this position (e.g. attach high level Gantt | | |
| | for this position: | chart] | | |
| 2. | Title of position: [|] | | |
| | Name of candidate: | | | |
| | Duration of | [insert the whole period (start and end dates) for which this position will be | | |
| | appointment: | engaged] | | |
| | Time commitment: for | [insert the number of days/week/months/ that has been scheduled for this | | |
| | this position: | position] | | |
| | Expected time schedule | [insert the expected time schedule for this position (e.g. attach high level Gantt | | |
| | for this position: | chart] | | |
| 3. | Title of position: [|] | | |
| | Name of candidate: | | | |
| | Duration of | [insert the whole period (start and end dates) for which this position will be | | |
| | appointment: | engaged] | | |
| | Time commitment: for | [insert the number of days/week/months/ that has been scheduled for this | | |
| | this position: | position] | | |
| | Expected time schedule | [insert the expected time schedule for this position (e.g. attach high level Gantt | | |
| | for this position: | chart] | | |
| 4. | Title of position: [|] | | |
| | Name of candidate: | | | |
| | Duration of | [insert the whole period (start and end dates) for which this position will be | | |
| | appointment: | engaged] | | |
| | Time commitment: for | [insert the number of days/week/months/ that has been scheduled for this | | |
| | this position: | position] | | |
| | Expected time schedule | [insert the expected time schedule for this position (e.g. attach high level Gantt | | |
| _ | for this position: | chart] | | |
| 5. | Title of position: [insert t | itle] | | |
| | Name of candidate | | | |
| | Duration of | [insert the whole period (start and end dates) for which this position will be | | |
| | appointment: | engaged] | | |
| | Time commitment: for | [insert the number of days/week/months/ that has been scheduled for this | | |
| | this position: | position] | | |
| | Expected time schedule | [insert the expected time schedule for this position (e.g. attach high level Gantt | | |
| | for this position: | chart] | | |

3. <u>FORM PER-2:</u>

Resume and Declaration - Contractor's Representative and Key Personnel.

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Name of Tenderer

| Personnel information | Name: | Date of birth: |
|-----------------------|-------------------------------|---|
| monnation | Address: | E-mail: |
| | Professional qualifications: | |
| | Academic qualifications: | |
| | Language proficiency: [langua | age and levels of speaking, reading and writing skills] |
| Details | Address of Procuring Entity: | |
| | Telephone: | Contact (manager / personnel officer): |
| | Fax: | |
| | Job title: | Years with present Procuring Entity: |

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

| Project | Role | Duration of involvement | Relevant experience |
|------------------------------|--|----------------------------|---|
| [main project details] | [role and responsibilities on the project] | [time in role] | [describe the experience relevant to this position] |
| | | | |
| | | | |
| | | | |

Declaration

I, the undersigned *[insert either "Contractor's Representative" or "Key Personnel" as applicable]*, certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

| Commitment | Details |
|-------------------------------------|--|
| Commitment to duration of contract: | [insert period (start and end dates) for which this |
| | Contractor's Representative or Key Personnel is available to |
| | work on this contract] |
| Time commitment: | [insert period (start and end dates) for which this |
| | Contractor's Representative or Key Personnel is available to |
| | work on this contract] |

I understand that any misrepresentation or omission in this Form may:

- a) be taken into consideration during Tender evaluation;
- b) result in my disqualification from participating in the Tender;
- c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [insert name]

Signature: _____

Date: (day month year):

Countersignature of authorized representative of the Tenderer:

Signature:_____

Date: (day month year):

4. TENDERER'S QUALIFICATION WITHOUT PRE-QUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

4.1 FORM ELI -1.1

Tenderer Information Form

Date: _____

ITT No. and title: _____

| Tenderer's name |
|---|
| In case of Joint Venture (JV), name of each member: |
| Tenderer's actual or intended country of registration: |
| [indicate country of Constitution] |
| Tenderer's actual or intended year of incorporation: |
| Tenderer's legal address [in country of registration]: |
| Tenderer's legar address [in country of registration]. |
| Tenderer's authorized representative information |
| Name: |
| Address: |
| Telephone/Fax numbers: |
| E-mail address: |
| 1. Attached are copies of original documents of |
| Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of |
| registration of the legal entity named above, in accordance with ITT 3.6 |
| In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5 |
| In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing: |
| Legal and financial autonomy |
| Operation under commercial law |
| Establishing that the Tenderer is not under the supervision of the Procuring Entity |
| 2. Included are the organizational chart and a list of Board of Directors. |
| 2. Included are the organizational chair and a list of Dourd of Directors. |

4.2 <u>FORM ELI -1.2</u>

Tenderer's JV Information Form (to be completed for each member of Tenderer's JV)

Date: _____

ITT No. and title: _____

| Tenderer's JV name: |
|---|
| JV member's name: |
| JV member's country of registration: |
| JV member's year of constitution: |
| JV member's legal address in country of constitution: |
| JV member's authorized representative information |
| Name: |
| Address: |
| Telephone/Fax numbers: E-mail address: |
| 1. Attached are copies of original documents of Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance |

with ITT 3.8.

2. Included are the organizational chart and a list of Board of Directors.

4.3 <u>FORM CON – 2</u>

Historical Contract Non-Performance, Pending Litigation and Litigation History

| Tenderer's Name: | |
|--------------------|--|
| Date: | |
| JV Member's Name | |
| ITT No. and title: | |

Non-Performed Contracts in accordance with Section III, Evaluation and Qualification Criteria Contract non-performance did not occur since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, Sub-Factor 2.1.

Contract(s) not performed since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, requirement 2.1

| Year | Non- performed portion of contract | Contract Identification | Total Contract Amount (current value, currency, exchange rate and Kenya Shilling equivalent) | | | |
|--|---|---|---|--|--|--|
| [insert | [insert amount | Contract Identification: [indicate complete contract name/ | [insert amount] | | | |
| year] | and percentage] | number, and any other identification] | | | | |
| | | Name of Procuring Entity: [insert full name] | | | | |
| | | Address of Procuring Entity: [insert street/city/country] | | | | |
| | | Reason(s) for nonperformance: [indicate main reason(s)] | | | | |
| Pending L | itigation, in accordat | nce with Section III, Evaluation and Qualification Criteria | | | | |
| | No pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub- | | | | | |
| Factor 2.3 | 3. | | | | | |
| Pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.3 | | | | | | |
| as indicat | ed below. | | | | | |

| Year of dispute | Amount in dispute (currency) | Contract Identification | Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate) |
|--------------------|---------------------------------|---|---|
| | | Contract Identification: | |
| | | Name of Procuring Entity: | |
| | | Address of Procuring Entity: | |
| | | Matter in dispute: | |
| | | Party who initiated the dispute: | |
| | | Status of dispute: | |
| | | Contract Identification: | |
| | | Name of Procuring Entity: | |
| | | Address of Procuring Entity: | |
| | | Matter in dispute: | |
| | | Party who initiated the dispute: | |
| | | Status of dispute: | |
| Litigation H | istory in accordance with S | Section III, Evaluation and Qualification Criteri | ia |
| □ No I 2.4. | Litigation History in accord | dance with Section III, Evaluation and Qualifica | tion Criteria, Sub-Factor |
| | gation History in accordance | e with Section III, Evaluation and Qualification | Criteria, Sub-Factor 2.4 |

| as indicated | as indicated below. | | | | | |
|------------------|--|--|---|--|--|--|
| Year of award | Outcome as percentage of Net Worth | Contract Identification | Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate) | | | |
| [insert year] | [insert percentage] | Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award decision [indicate main reason(s)] | [insert amount] | | | |

4.4 <u>FORM FIN – 3.1:</u>

Financial Situation and Performance

| Tenderer's Name: | |
|--------------------|--|
| Date: | |
| JV Member's Name | |
| ITT No. and title: | |

4.4.1. Financial Data

| Type of Financial information | Historic information for previousyears, | | | | |
|-----------------------------------|--|--------------|--------|--------|--------|
| in (currency) | (amount in currency, currency, exchange rate*, USD equivalent) | | | | |
| | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 |
| Statement of Financial Position (| Information | from Balance | Sheet) | | |
| Total Assets (TA) | | | | | |
| Total Liabilities (TL) | | | | | |
| Total Equity/Net Worth (NW) | | | | | |
| Current Assets (CA) | | | | | |
| Current Liabilities (CL) | | | | | |
| Working Capital (WC) | | | | | |
| Information from Income Statem | ent | | | | |
| Total Revenue (TR) | | | | | |
| | | | | | |

| Type of Financial information in (currency) | Historic information for previousyears, (amount in currency, currency, exchange rate*, USD equivalent) | | | | |
|---|---|--------|--------|--------|--------|
| | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 |
| Profits Before Taxes (PBT) | | | | | |
| Cash Flow Information | | | | | |
| Cash Flow from Operating Activities | | | | | |

*Refer to ITT 15 for the exchange rate

4.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

| No. | Source of finance | Amount (Kenya Shilling equivalent) |
|-----|-------------------|------------------------------------|
| 1 | | |
| 2 | | |
| 3 | | |

4.4.3 Financial documents

The Tenderer and its parties shall provide copies of financial statements for ______years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:

(a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).

(b) be independently audited or certified in accordance with local legislation.

(c) be complete, including all notes to the financial statements.

(d) correspond to accounting periods already completed and audited.

 \Box Attached are copies of financial statements¹ for the _____years required above; and complying with the requirements

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

4.5 <u>FORM FIN – 3.2:</u>

Average Annual Construction Turnover

| Tenderer's Name: | |
|--------------------|---|
| Date: | _ |
| JV Member's Name | |
| ITT No. and title: | |

| | Annual turnover data (construction only) | | | | | |
|-----------------|--|---------------|---------------------------|--|--|--|
| Year | Amount | Exchange rate | Kenya Shilling equivalent | | | |
| | Currency | | | | | |
| [indicate year] | [insert amount and indicate currency] | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Average | | | | | | |
| Annual | | | | | | |
| Construction | | | | | | |
| Turnover * | | | | | | |

* See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

4.6 **FORM FIN – 3.3**:

Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

| Fina | Financial Resources | | | | | |
|------|---------------------|------------------------------------|--|--|--|--|
| No. | Source of financing | Amount (Kenya Shilling equivalent) | | | | |
| 1 | | | | | | |
| 2 | | | | | | |
| 3 | | | | | | |
| | | | | | | |

4.7 <u>FORM FIN – 3.4:</u>

Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

| | Current Contract Commitments | | | | | | | |
|---|------------------------------|---|--|---------------------------------|---|--|--|--|
| | Name of Contract | Procuring Entity's Contact Address, Tel, | Value of Outstanding Work [Current Kenya Shilling /month Equivalent] | Estimated Completion Date | Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)] | | | |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |

4.8 FORM EXP - 4.1

General Construction Experience

| Tenderer's Name: | |
|--------------------|--|
| Date: | |
| JV Member's Name | |
| ITT No. and title: | |
| | |

Page _____of ____pages

| Starting | Ending | Contract Identification | Role of |
|----------|--------|---|----------|
| | Year | | Tenderer |
| Year | | | |
| | | | |
| | | Contract name: | |
| | | Brief Description of the Works performed by the | |
| | | Tenderer: | |
| | | Amount of contract: | |
| | | Name of Procuring Entity: | |
| | | Address: | |
| | | Contract name: | |
| | | Brief Description of the Works performed by the | |
| | | Tenderer: | |
| | | Amount of contract: | |
| | | Name of Procuring Entity: | |
| | | Address: | |
| | | Contract name: | |
| | | Brief Description of the Works performed by the | |
| | | Tenderer: | |
| | | Amount of contract: | |
| | | Name of Procuring Entity: | |
| | | Address: | |

4.9 <u>FORM EXP - 4.2(a)</u>

Specific Construction and Contract Management Experience

| Tenderer's Name: | |
|--------------------|--|
| Date: | |
| JV Member's Name | |
| ITT No. and title: | |

| Similar Contract No. | Information | | | |
|---|-----------------------|-----------------|--------------------------|-------------------------|
| Contract Identification | | | | |
| Award date | | | | |
| Completion date | | | | |
| Role in Contract | Prime Contractor □ | Member in JV | Management Contractor | Sub- contractor □ |
| Total Contract Amount | | | Kenya Shilling | L |
| If member in a JV or sub-contractor, | | | | |
| specify participation in total Contract | | | | |
| amount | | | | |
| Procuring Entity's Name: | | | | |
| Address: | | | | |
| Telephone/fax number | | | | |
| E-mail: | | | | |

4.10 FORM EXP - 4.2 (a) (cont.)

Specific Construction and Contract Management Experience (cont.)

| Simila | r Contract No. | Information |
|--------|---|-------------|
| | otion of the similarity in accordance ub-Factor 4.2(a) of Section III: | |
| 1. | Amount | |
| 2. | Physical size of required works | |
| items | | |
| 3. | Complexity | |
| 4. | Methods/Technology | |
| 5. | Construction rate for key activities | |
| 6. | Other Characteristics | |

4.11 FORM EXP - 4.2(b)

Construction Experience in Key Activities

| Tenderer's Name: | |
|--|---------|
| Date: | |
| Tenderer's JV Member Name: _ | |
| Sub-contractor's Name ² (as per 2 | TT 34): |
| ITT No. and title: | |

All Sub-contractors for key activities must complete the information in this form as per ITT 34 and Section III, Evaluation and Qualification Criteria, Sub-Factor 4.2.

1. Key Activity No One: _

| | Information | | | | |
|--|---------------------------------------|----------------|------------------------------------|--------------------------|---|
| Contract Identification | | | | | |
| Award date | | | | | |
| Completion date | | | | | |
| Role in Contract | Prime Contractor | Men JV □ | nber in | Management Contractor | Sub-contractor |
| Total Contract Amount | | | | Kenya Shilling | ç. |
| Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year | Total quantity the contract (i) | in | Percentage participatic (ii) | | Actual Quantity Performed (i) x (ii) |
| Year 1 | | | | | |
| Year 2 | | | | | |
| Year 3 | | | | | |
| Year 4 | | | | | |
| Procuring Entity's Name: | | | | | |
| Address: Telephone/fax number E-mail: | | | | | |

| | Information | | | | |
|--|-------------|--|--|--|--|
| | | | | | |
| Description of the key activities in | | | | | |
| accordance with Sub-Factor 4.2(b) of Section | | | | | |
| III: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

2. Activity No. Two 3.

OTHER FORMS

i)

5. FORM OF TENDER (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS

- All italicized text is to help the Tenderer in preparing this form.
- *ii)* The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.
- *iii)* Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (s) below.

Date of this Tender submission:............[insert date (as day, month and year) of Tender submission] Tender

| Name | and | | Identification: | [insert | identification] | Alternative |
|------|-----|----------|-----------------|---------|-----------------|-------------|
| | | F | | | | |

No.:....[insert identification No if this is a Tender for an alternative]

To: [Insert complete name of Procuring Entity]

Dear Sirs,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum of Kenya Shillings [[Amount in figures]]______Kenya Shillings [amount in words]

The above amount includes foreign currency amount (s) of [*state figure or a percentage and currency*] [figures]_____[words]_____.

The percentage or amount quoted above does not include provisional sums, and only allows not more than two foreign currencies.

- 2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.
- 3. We agree to adhere by this tender until *[Insert date]*, and it shall remain binding upon us and may be accepted at any time before that date.
- 4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us. We further understand that you are not bound to accept the lowest or any tender you may receive.
- 5. We, the undersigned, further declare that:
 - i) <u>No reservations</u>: We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 28;
 - ii) <u>*Eligibility:*</u> We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
 - iii) <u>*Tender-Securing Declaration:*</u> We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;
 - *iv)* <u>Conformity</u>: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];

- *v)* <u>*Tender Price:*</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
- vi <u>Option</u> <u>1</u>, in case of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; Or

Option 2, in case of multiple lots:

- a) <u>Total price of each lot</u> [*insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies*]; and
- b) <u>Total price of all lots</u> (sum of all lots) [*insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies*];
- vii) *Discounts:* The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>*Performance Security:*</u> If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- xii) <u>One Tender Per Tender</u>: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a subcontractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Project Manager, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.8];
- *xv)* <u>Commissions, gratuities, fees</u>: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

| Name of Recipient | Address | Reason | Amount |
|-------------------|---------|--------|--------|
| | | | |
| | | | |
| | | | |

(If none has been paid or is to be paid, indicate "none.")

- xvi) <u>Binding Contract</u>: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) <u>Not Bound to Accept</u>: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) <u>Fraud and Corruption:</u> We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption;

- xix) Collusive practices: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement XX) and Asset Disposal, copy available from *(specify website)* during the procurement process and the execution of any resulting contract.
- xxi) Beneficial Ownership Information: We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- xxii) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
 - Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any a) conflict to interest.
 - Certificate of Independent Tender Determination to declare that we completed the tender b) without colluding with other tenderers.
 - c) Self-Declaration of the Tenderer – to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
 - Declaration and commitment to the Code of Ethics for Persons Participating in Public d) Procurement and Asset Disposal

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1- Fraud and Corruption" attached to the Form of Tender.

Name of the Tenderer: *[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: **[insert *complete name of person duly authorized to sign the Tender*]

Title of the person signing the Tender: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are

shown above] **Date signed** [*insert date of signing*] day of [*insert month*], [*insert year*]

Date signed ______ day of _____

,

Notes

* In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer

** Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

A. <u>TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE</u>

Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

(a) **Tenderer's details**

| | ITEM | DESCRIPTION |
|----|--|---|
| 1 | Name of the Procuring Entity | |
| 2 | Reference Number of the Tender | |
| 3 | Date and Time of Tender Opening | |
| 4 | Name of the Tenderer | |
| 5 | Full Address and Contact Details of the Tenderer. | Country City Location Building Floor Postal Address Name and email of contact person. |
| 6 | Current Trade License Registration Number and Expiring date | ^ |
| 7 | Name, country and full address (<i>postal and physical addresses, email, and telephone number</i>) of Registering Body/Agency | |
| 8 | Description of Nature of Business | |
| 9 | Maximum value of business which the Tenderer handles. | |
| 10 | State if Tenders Company is listed in stock exchange, give name and full address (<i>postal</i> <i>and physical addresses, email, and telephone</i> <i>number</i>) of state which stock exchange | |

General and Specific Details

b) Sole Proprietor, provide the following details.

| Name in full | Age | Nationality |
|--------------|-------------------|-------------|
| | Country of Origin | Citizenship |

c) **Partnership**, provide the following details.

| | Names of Partners | Nationality | Citizenship | % Shares owned |
|---|-------------------|-------------|-------------|----------------|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |

d) **Registered Company,** provide the following details.

- i) Private or public Company_____
- ii) State the nominal and issued capital of the Company_____

Nominal Kenya Shillings (Equivalent)...... Issued Kenya Shillings (Equivalent).....

iii) Give details of Directors as follows.

| | Names of Director | Nationality | Citizenship | % Shares owned |
|---|-------------------|-------------|-------------|----------------|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |

(e) DISCLOSURE OF INTEREST- Interest of the Firm in the Procuring Entity.

i) Are there any person/persons in (*Name of Procuring Entity*) who has/have an

interest or relationship in this firm? Yes/No.....

If yes, provide details as follows.

| | Names of Person | Designation in the Procuring Entity | Interest or Relationship with Tenderer |
|---|-----------------|--|--|
| 1 | | | |
| 2 | | | |
| 3 | | | |

ii) Conflict of interest disclosure

| | Type of Conflict | Disclosure YES OR NO | If YES provide details of the relationship with Tenderer |
|---|--|-------------------------|--|
| 1 | Tenderer is directly or indirectly controls, is controlled by or | | |
| | is under common control with another tenderer. | | |
| 2 | Tenderer receives or has received any direct or indirect | | |
| | subsidy from another tenderer. | | |
| 3 | Tenderer has the same legal representative as another tenderer | | |
| 4 | Tender has a relationship with another tenderer, directly or | | |
| | through common third parties, that puts it in a position to | | |

| | Type of Conflict | Disclosure YES OR NO | If YES provide details of the relationship with Tenderer |
|---|--|-------------------------|--|
| | influence the tender of another tenderer, or influence the | | |
| | decisions of the Procuring Entity regarding this tendering | | |
| | process. | | |
| 5 | Any of the Tenderer's affiliates participated as a consultant in | | |
| | the preparation of the design or technical specifications of the | | |
| | works that are the subject of the tender. | | |
| 6 | Tenderer would be providing goods, works, non-consulting | | |
| | services or consulting services during implementation of the | | |
| | contract specified in this Tender Document. | | |
| 7 | Tenderer has a close business or family relationship with a | | |
| | professional staff of the Procuring Entity who are directly or | | |
| | indirectly involved in the preparation of the Tender | | |
| | document or specifications of the Contract, and/or the | | |
| | Tender evaluation process of such contract. | | |
| 8 | Tenderer has a close business or family relationship with a | | |
| | professional staff of the Procuring Entity who would be | | |
| | involved in the implementation or supervision of the such | | |
| | Contract. | | |
| 9 | Has the conflict stemming from such relationship stated in | | |
| | item 7 and 8 above been resolved in a manner acceptable to | | |
| | the Procuring Entity throughout the tendering process and | | |
| | execution of the Contract. | | |

f) Certification

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

 Full Name______
 Title or

Designation_____

(Signature)

(Date)

B. CERTIFICATE OF INDEPENDENTIENDER DETERMINATION

| I, the undersigned, in submitting the accompanying Letter of Tender to the | [Name of |
|--|--------------------------------|
| Procuring Entity] for: | [Name and number of tender] in |
| response to the request for tenders made by: | [Name of Tenderer] do hereby |
| make the following statements that I certify to be true and complete in every respect: | |

I certify, on behalf of [Name of Tenderer] that:

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - has been requested to submit a Tender in response to this request for tenders; a)
 - could potentially submit a tender in response to this request for tenders, based on their qualifications, b) abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable:
 - The Tenderer has arrived at the Tender independently from, and without consultation, communication, a) agreement or arrangement with, any competitor;
 - the Tenderer has entered into consultations, communications, agreements or arrangements with one or b) more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - prices; a)
 - b) methods, factors or formulas used to calculate prices;
 - the intention or decision to submit, or not to submit, a tender; or c)
 - the submission of a tender which does not meet the specifications of the request for Tenders; except as d) specifically disclosed pursuant to paragraph (5)(b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
- 8. the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name

_____Title___Date ______

[Name, title and signature of authorized agent of Tenderer and Date].

C. <u>SELF - DECLARATION FORMS</u>

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENTAND ASSET DISPOSALACT 2015.

I, being a resident of being a statement as follows: -

name of the Procuring entity) and duly authorized and competent to make this statement.

- 2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
- 3. THAT what is deponed to herein above is true to the best of my knowledge, information and belief.

| | (Title) |
|-------------|---------|
| (Signature) | (Date) |

Bidder Official Stamp

FORM SD2

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

I, of P. O. Box being a resident of being a resident of in the Republic of do hereby make a statement as follows: -

- 2. THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (*insert name of the Procuring entity*) which is the procuring entity.
- 3. THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (name of the procuring entity)
- 4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
- 5. THAT what is deponed to herein above is true to the best of my knowledge information and belief.

| (Signature) | (Date) |
|-------------|-------------|
| | (Signature) |

Bidder's Official Stamp

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I (person) on behalf of (*Name of the Business/ Company/Firm*) declare that I have read and fully understood the contents of the Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in Public Procurement and Asset Disposal and my responsibilities under the Code.

I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement and Asset Disposal.

| Name of Authorized signatory | Sign |
|------------------------------|-----------------------|
| Position | |
| Office address | . Telephone |
| E-mail | |
| Name of the Firm/Company | |
| Date | (Company Seal/ Rubber |
| Stamp where applicable) | |
| Witness | |
| Name | Sign |
| Date | |

D. APPENDIX 1- FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

2. The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (*no. 33 of 2015*) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

3. Requirements

The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

Kenya's public procurement and asset disposal act (*no. 33 of 2015*) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior: -

- 1) a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable;
- 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
 - a) shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
- c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
- 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
- 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
 - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;

- iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
- iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
- v) "obstructive practice" is:
 - deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:

"fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.

- c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

¹ For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

FORM OF TENDER SECURITY-[Option 1–Demand Bank Guarantee]

| Beneficiary: | |
|-------------------------------|--|
| Request forTenders No: | |
| | |
| Date: | |
| TENDER GUARANTEE No.: | |
| Guarantor: | |

- 1. We have been informed that ______ (here inafter called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here inafter called" the Tender") for the execution of ______ under Request for Tenders No. ______ ("the ITT").
- 2. Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
- 3. At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of __________) upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
- (a) has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
- b) having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
- 4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
- 5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above onor before that date.

[signature(s)]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]

TENDER GUARANTEE No.:

Sealed with the Common Seal of the said Guarantor this ____day of _____ 20 ___.

- 3. NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Applicant:
 - a) has withdrawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Principal; or
 - b) having been notified of the acceptance of its Tender by the Procuring Entity during the Tender Validity Period or any extension thereto provided by the Principal; (i) failed to execute the Contract agreement; or (ii) has failed to furnish the Performance Security, in accordance with the Instructions to tenderers ("ITT") of the Procuring Entity's Tendering document.

then the guarantee undertakes to immediately pay to the Procuring Entity up to the above amount upon receipt of the Procuring Entity's first written demand, without the Procuring Entity having to substantiate its demand, provided that in its demand the Procuring Entity shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.

- 4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii)twenty-eight days after the end of the Tender Validity Period.
- 5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

[Date]

[Signature of the Guarantor]

[Witness]

[Seal]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

TENDER-SECURING DECLARATION FORM

[The Bidder shall complete this Form in accordance with the instructions indicated]

Date:.....[insert date (as day, month and year) of Tender Submission] Tender No.:....[insert number of tendering process] To:.....[insert complete name of Purchaser] I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
- 2. I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of our obligation(s) under the bid conditions, because we (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
- 3. I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:
 - a) our receipt of a copy of your notification of the name of the successful Tenderer; or
 - b) thirty days after the expiration of our Tender.
- 4. I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.

| Signed | l: | | | | | Capacity / title | e (director |
|--------|---------|----|------|-------------|-------|-----------------------|-------------|
| or | partner | or | sole | proprietor, | etc.) | | Name: |
| | | | | | ••••• | Duly authorized to si | gn the bid |
| | | | | | | | |

for and on behalf of: [insert complete name of Tenderer]

Dated on day of [Insert date of signing] Seal or stamp

Appendix to Tender

Schedule of Currency requirements

Summary of currencies of the Tender for_____[insert name of Section of the Works]

| Name of currency | Amounts payable |
|--|---|
| Local currency: | |
| Foreign currency #1: | |
| Foreign currency #2: | |
| Foreign currency #3: | |
| Provisional sums expressed in local currency | [To be entered by the Procuring Entity] |

PART II - WORK REQUIREMENTS

SECTION V - DRAWINGS

A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.

SCHEDULE OF CONTRACT DRAWINGS

THE DRAWINGS SHALL BE PROVIDED IN A SEPARATE BOOKLET DURING SITE HANDOVER.

SECTION VI - SPECIFICATIONS

Notes for preparing Specifications

- 1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for everyWorks Contract.
- 3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4. Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.
- 6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
- 7. 1. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.

PLEASE SEE ATTACHED SPECIFICATIONS TOGETHER WITH BILLS OF QUANTITIES

SECTION VII- BILLS OF QUANTITIES

1. Objectives

- The objectives of the Bill of Quantities are:
- a) to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
- b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and contents of the Bill of Quantities should be as simple and brief as possible.

2. Day work Schedule

A Day work Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the Tenderers, the Day work Schedule should normally comprise the following:

- a) A list of the various classes of labor, materials, and Constructional Plant for which basic day work rates or prices are to be inserted by the Tenderer, together with a statement of the conditions under which the Contractor shall be paid for work executed on a day work basis.
- b) Nominal quantities for each item of day work, to be priced by each Tenderer at day work rates as Tender. The rate to be entered by the Tenderer against each basic day work item should include the Contractor's profit, overheads, supervision, and other charges.

3. Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary priced Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the Special Conditions of Contract should state the manner in which they shall be used, and under whose authority (usually the Project Manager's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Tenderers in respect of any facilities, amenities, attendance, etc., to be provided by the successful Tenderer as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Tenderer to quote a sum for such amenities, facilities, attendance, etc.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the tendering document. They should not be included in the final tendering document.

4. The Bills of Quantities

The Bills of Quantities should be divided generally into the following sections:

- a) Preambles
- b) Preliminary items
- c) Work Items
- c) Daywork Schedule; and
- d) Provisional items
- e) Summary.

5. The Summary to the Bills of Quantities will take this form or some other form but including these items.

| SUMMARY ITEMS | Page | Amount |
|--|------|--------|
| Bill No. 1: Preliminary Items | | |
| Bill No. 2: Work Items | | |
| Bill No 3: Daywork Summary | | |
| Bill No 4: Provisional Sums | | |
| Subtotal of Bills No 1-4 | | |
| Allow for any Discounts ⁱ | | |
| TOTAL TENDER PRICE Carried forward to Form of Tender | | |

SECTION VII

BILLS OF QUANTITIES

1.1 GENERAL

This specification is to be read in conjunction with any other information herein issued with it. Bills of quantities and schedule of unit rates shall be the basis of all additions and omissions during the progress of the works.

1.2 STANDARD OF MATERIALS

Where the material and equipment are specifically described and named in the Specification followed by approved equal, they are so named or described for the purpose of establishing a standard to which the contractor shall adhere.

Should the contractor install any material not specified herein before receiving approval from the proper authorities, the Engineer shall direct the contractor to remove the material in question immediately. The fact that this material has been installed shall have no bearing or influence on the decision by the Engineer.

All materials condemned by the Engineer as not approved for use, are to be removed from the premises and suitable materials delivered and installed in their place at the expense of the Contractor. All materials required for the works shall be from branded manufacturers, and shall be new and the best of the respective kind and shall be of a uniform pattern.

1.3 WORKMANSHIP

The workmanship and method of installation shall conform to the best standard practice. All work shall be performed by a skilled tradesman and to the satisfaction of the Engineer. Helpers shall have qualified supervision.

Any work that does not in the opinion of the Engineer conform to the best standard practice will be removed and reinstated at the contractor's expense.

Permits, Certificates or Licences must be held by all tradesmen for the type of work; in which they are involved where such permits, certificates or licences exist under Government legislation.

1.4 PROCUREMENT OF MATERIALS

The contractor is advised that no assistance can be given in the procurement or allotment of any materials or products to be used in and necessary for the construction and completion of the work.

Contractors are warned that they must make their own arrangements for the supply of materials and/or products specified or required.

1.5 RECORD DRAWINGS

These diagrams and drawings shall show the completed installation including sizes, runs and arrangements of the installation. The drawings shall be to scale not less than 1:50 and shall include plan views and section.

The drawings shall include all the details which may be useful in the operation, maintenance or subsequent modifications or extensions to the installation.

Three sets of diagrams and drawings shall be provided, all to the approval of the Engineer.

One coloured set of line diagrams relating to operating and maintenance instructions shall be framed and, mounted in a suitable location.

1.6 REGULATIONS AND STANDARDS

All work executed by the contractor shall comply with the current edition of the "Regulations" for the Electrical Equipment of Buildings, issued by the Institution of Electrical Engineers, Electric Power Act, Kenya Bureau of Standards (KBS), Institution of Electrical Engineers (I.E.E) Wiring Regulations, Current recommendation of CCITT and CCIR, and with the Regulations of the Local Electricity Authority and the Communications Commission of Kenya (CCK)

Where the sets of regulations appear to conflict, they shall be clarified with the Engineer.

1.7 SETTING OUT WORK

The contractor, at his own expenses, is to set out works and take all measurements and dimensions required for the erection of his materials on site; making any modifications in details as may be found necessary during the progress of the works, submitting any such modifications or alterations in detail to the Engineer before proceeding and must allow in his tender for all such modifications and for the provision of any such sketches or drawings related thereto.

1.8 TESTING ON SITE

The contractor shall conduct during and at the completion of the installation and, if required, again at the expiration of the maintenance period, tests in accordance with the relevant section of the current edition of the Regulations for the electrical equipment of buildings issued by the I.E.E of Great Britain, the Government Electrical Specifications No. 1 and No.2, Electric Supply Company's By-Laws, Communications Commission of Kenya (CCK) requirements or any other supplementary Regulations as may be produced by the engineer.

Any faults, defects or omissions or faulty workmanship, incorrectly positioned or installed parts of the installation shall be rectified by the contractor at his own expense.

SECTION IX: - TECHNICAL SCHEDULE OF ITEMS TO BE SUPPLIED

| ITEM | DESCRIPTION | <u>UNIT</u> | RATE (KShs) |
|------|-----------------------|-------------|----------------|
| 1. | Manual Flush valve | No. | |
| 2. | Concealed Cistern | No. | |
| 3. | Automatic Flush valve | No. | |

SCHEDULE OF UNIT RATES

| 4. | Automatic sensing Unit for WHB | No. |
|-----|-----------------------------------|-----|
| 5. | Automatic sensing Unit for URINAL | No. |
| 6. | Automatic sensing Unit for WC | No. |
| 7. | Automatic Hand drier | No. |
| 8. | Automatic sensing tap | No |
| 9 | Automatic Soap dispenser | No |
| 10 | 150mm diameter G.I. Pipe | No |
| 11 | 150mm PVC pipe | No |
| 12 | WC close coupled | No |
| 13 | WHB pedestal | Lm |
| 14 | 20mm PPRC gate valve | Lm |
| 15 | 25mm PPRC gate valve | No |
| 16 | 32mm PPRC gate valve | No |
| 17 | Door closure | No |
| 18 | Door handle | No |
| 19. | Standard toilet Door | No |
| 20. | 50mm GI pipe | No. |
| 21. | 50 mm gate vale (pegler) | |

SECTION H:

TECHNICAL SCHEDULE OF ITEMS TO BE SUPPLIED

TECHNICAL SCHEDULE OF ITEMS TO BE SUPPLIED

<u>CONTENTS</u>

| CLAUS | <u>SE No</u> | PAGE |
|-------|-------------------------------|-------|
| 1. | GENERAL NOTES TO THE TENDERER | H-1 |
| 2. | TECHNICAL SCHEDULE | . H-2 |

TECHNICAL SCHEDULE

General Notes to the Tenderer

The tenderer shall submit technical schedules for all materials and equipment upon which he has based his tender sum.

The tenderer shall also submit separate comprehensive descriptive and performance details for all plant apparatus and fittings described in the technical schedules. Manufacturer's literature shall be accepted. Failure to comply with this may have his tender disqualified.

Completion of the technical schedule shall not relieve the Contractor from complying with the requirements of the specifications except as may be approved by the Engineer.

TECHNICAL SCHEDULE OF ITEMS TO BE SUPPLIED (ATTACH BRONCHURES)

| ITEM | DESCRIPTION | MANUFACTURER | COUNTRY OF ORIGIN | REMARKS (Catalogue No.etc.) |
|--------|-----------------------------------|--------------|----------------------|-----------------------------------|
| A | Water closet Bowls | | | |
| В | Wash hand basin | | | |
| С | Manual Flush Valve | | | |
| D | Concealed Cisterns | | | |
| E | Soap Dispenser | | | |
| F | Toilet roll holder | | | |
| G | Soap Dish | | | |
| н | Automatic Flush valve | | | |
| 1 | Automatic sensing Unit for WC | | | |
| J | Automatic sensing Unit for URINAL | | | |
| к L | Automatic sensing Unit for WHB | | | |
| м | Automatic Hand drier | | | |
| N | Automatic sensing tap | | | |
| 0 | Automatic Soap dispenser | | | |
| Р | Gate valves | | | |
| Q | Non-return valves | | | |
| R | PPRC pipes | | | |
| S | Swing Hosereel | | | |
| | Water Booster Pumps | | | |

SECTION X- SCHEDULE OF CONTRACT DRAWINGS AND BILL OF QUANTITIES

- 1.0 There are no contract drawings.
- 2.0 Bidders shall be required to visit the site to ascertain cable routes and lengths before pricing the Bills of Quantities in this document. In this regard, the bidders shall be required to get in touch with the Project Engineer, Regional Electrical and Mechanical Engineer (B. S), Industrial area, along Machakos Road, Nairobi, during official working hours.
- 3.0 It shall be the responsibility of the contractor to provide wiring and connection diagrams for approval by the Project Manager.

A. BILLS OF QUANTITIES SANITARY FITTINGS EQUIPMENT, PLUMBING AND DRAINAGE WORKS

BILLS OF QUANTITIES

a) PRICING OF PRELIMINARIES ITEMS

Prices will be inserted against item of preliminaries in the sub-contractor's Bills of Quantities and specification. These Bills are designated as **Schedule I** in this Section. Where the contractor fails to insert his price in any item he shall be deemed to have made adequate provision for this on various items in the Bills of Quantities. The preliminaries form part of this contract and together with other Bills of Quantities covers for the costs involved in complying with all the requirements for the proper execution of the whole of the works in the contract.

The Bills of Quantities are divided generally into three sections:-

(a) Preliminaries – Bill 1

Contractor's preliminaries are as per those described in section C. The contractor shall study the conditions and make provision to cover their cost in this Bill. The number of preliminary items to be priced by the Tenderer have been limited to tangible items such as site office, temporary works and others. However the Tenderer is free to include and price any other items he deems necessary taking into consideration conditions he is likely to encounter on site.

(b) Installation Items – Other Bills

The brief description of the items in these Bills of Quantities should in no way modify or supersede the detailed descriptions in the contract Drawings, conditions of contract and specifications.

The unit of measurements and observations are as per those described in clause 3.05 of the section C.

(c) Summary

The summary contains tabulation of the separate parts of the Bills of Quantities carried forward with provisional sum, contingencies and any prime cost sums included. The contractor shall insert his totals and enter his grand total tender sum in the space provided below the summary.

This grand total tender sum shall be entered in the Form of Tender provided elsewhere in this document

SPECIAL NOTES

- 1. The Bills of Quantities form part of the contract documents and are to be read in conjunction with the contract drawings and general specifications of materials and works.
- 2. The prices quoted shall be deemed to include for all obligations under the contract including but not limited to supply of materials, labour, delivery to site, storage on site, installation, testing, commissioning and all taxes (including 16% VAT).

In accordance with Government policy, the 16% VAT and 3% Withholding Tax shall be deducted from all payments made to the Tenderer, and the same shall be forwarded to the Kenya Revenue Authority (KRA), unless there exists policy change on VAT.

- 3 All prices omitted from any item, section or part of the Bills of Quantities shall be deemed to have been included to another item, section or part.
- 4. The brief description of the items given in the Bills of Quantities are for the purpose of establishing a standard to which the contractor shall adhere. Otherwise, alternative brands of **equal** and **approved** quality will be accepted.

Should the contractor install any material not specified here in before receiving written approval from the Project Manager, the contractor shall remove the material in question and, at his own cost, install the proper material.

- 5. The grand total of prices in the price summary page **must be carried forward to the** Form of Tender for the tender to be deemed valid.
- 6. Tenderers **MUST** enclose, together with their submitted tenders, **detailed Manufacturer's Brochures** detailing Technical Literature and specifications on all the equipment they intend to offer.

PART2: GENERAL SPECIFICATIONS FOR PLUMBING AND DRAINAGE

2.01 Introduction

This section covers the general requirements for plant, equipment and materials forming for the plumbing and drainage installations.

2.20 MATERIALS AND STANDARDS

2.2.1 Pipework and Fittings

Pipework materials are to be used shall be as follows:

a) Galvanized Steel Pipework

Galvanized steel pipe work up to 65mm nominal bore shall be manufactured in accordance with KS06.366:1982 or B.S. 1387 Medium Grade, with tapered pipe threads in accordance with B.S. 21. All fittings shall be malleable iron and manufactured in accordance with KS06-885:1995 or B.S. 143.

Pipe joints shall be screwed and socketed and sufficient coupling unions shall be allowed so that fittings can be disconnected without cutting the pipe. Running nipples and long screws shall not be permitted unless exceptionally approved by the Engineer.

Galvanized steel pipe work, 80mm nominal bore up to 150mm nominal bore shall be manufactured to comply in all respects with the specification for 65mm pipe, except that screwed and bolted flanges shall replace unions and couplings for the jointing of pipes to valves and other items of plant. All flanges shall comply with the requirements of B.S. 10 to the relevant classifications contained hereinafter under Section 'C' of the Specification.

Galvanizing shall be carried out in accordance with the requirements of B.S. 1387 and B.S. 143 respectively.

Polypropylene Pipes – Random (PP-R) Type 3

PP-R type3 pipe work shall be manufactured in accordance with B.S. 7291part 2001. Dimesnsions and quality of PP-R Pipes shall be in accordance with DIN 8077 and pipelines in plastics materials joints, Components parts, Installation to be in accordance DIN 16928. joints and fittings to be in accordance DIN16962.

Copper Tubing

All copper tubing shall be as manufactured in accordance with B.S. 2871 from C.160 'Phosphorous De-oxidized Non-Arsenical Copper' in accordance with B.S. 1172. Pipe joints shall be made with soldered capillary fittings and connections to equipment shall be with compression fittings as manufactured in accordance with B.S. 864.

Short copper connection tubes between galvanized pipe work and sanitary fitments shall not be used because of the risk of galvanic action.

If, as may occur in certain circumstances, it is not possible to make the connection in any way than the use of copper tubing, then a brass straight connector shall be positioned between the galvanized pipe and the copper tube in order to prevent direct contact.

d) Poly-vinyl Chloride (P.V.C). Pressure Pipes and Fittings

All P.V.C. pressure pipes and fittings shall be as manufactured in accordance with KSO6-478-2:1993 (B.S. 3505: 1968).

Jointing

The method of jointing to be employed shall be that of solvent welding, using the pipe and manufacturer's approved cement. Seal ring joint shall be introduced where it is necessary to accommodate thermal expansion.

Testing

Pipelines shall be tested in sections under an internal water pressure normally one and a half times the maximum allowable working pressure of the class of pipe used. Testing shall be carried out as soon as practical after laying and when the pipeline is adequately anchored. Precautions shall be taken to eliminate all air from the test section and to fill the pipe slowly to avoid risk of damage due to surge.

e) <u>A.B.S. Waste System</u>

Where indicated on the Designs and Schedules, the contractor shall supply and fix A.B.S. waste pipes and fittings.

The pipes, traps and fittings shall be in accordance with the relevant British Standards, including B.S. 3943 or KSO6-7831-1:1990, and fixed generally in accordance with manufacturer's instructions and B.S. 5572: 1978.

Jointing of pipes shall be carried out by means of solvent welding, the manufacturer's instructions according to B.S. 5572: 1978.

Standard brackets, as supplied for use with this system, shall be used wherever possible.

Where the building structure renders this impracticable the contractor shall provide purpose made supports, centers of which shall not exceed one meter.

Expansion joints shall be provided as indicated. Supporting brackets and pipe clips shall be fixed on each side of these joints.

f) Poly-vinyl Chloride (P.V.C) Pipes and fittings

The contractor shall supply and fix PVC soil pipes and fittings as indicated on the Designs and Schedules.

Pipes and fittings shall be in accordance with relevant British Standards, including B.S. 4514 and fixed to the manufacturer's instructions and B.S. 5572.

The soil system shall incorporate synthetic rubber gaskets as provided by the manufacturer whose fixing instructions shall be strictly adhere to.

Connections to WC pans shall be effected by the use of a WC connector, gasket and cover, fixed to suit pan outlet.

Suitable supporting brackets and pipe clips shall be provided at maximum of one metre centres.

The contractor shall be responsible for the joint into the Gully Trap on Drain as indicated on the Drawings.

2.2.2 <u>Valves</u>

a) <u>Draw-off Taps and Stop Valves (Up to 50mm Nominal Bore)</u>

Draw-off taps and valves up to 50mm nominal bore, unless otherwise stated or specified for attachment or connection to sanitary fitment shall be manufactured in accordance with the requirements of B.S.1010.

b) Gate Valves

All gate values 80mm nominal bore and above, other than those required for fitting to buried water mains shall be of cast iron construction, in accordance with the requirements of B.S. 3464. All gate values required for fitting to buried water mains shall be of cast iron construction in accordance with the requirements of B.S.1218.

All gate values up to and including 65mm nominal bore shall be of bronze construction in accordance with the requirements of B.S. 1952.

The pressure classification of all valves shall depend upon the pressure conditions pertaining to the site of works.

c) Globe Valves

All globe valves up to and including 65mm nominal bore shall be of bronze construction in accordance with the requirements of B.S.3061 or KS06-885:1995.

The pressure classification of all globe valves shall depend upon the pressure conditions pertaining to the site of works.

2.2.3 Waste Fitment Traps

a) <u>Standard and Deep Seal P & S Traps</u>

Where standard or deep seal traps are specified they shall be manufactured in suitable non-ferrous materials in accordance with the full requirements of B.S. 1184.

In certain circumstances, cast iron traps may be required for cast iron baths and in these instances bath traps shall be provided which are manufactured in accordance with the full requirements of B.S.1291.

b) <u>Anti-Syphon Traps</u>

Where anti-syphon traps are specified, these shall be similar or equal to the range of traps manufactured by Greenwood and Hughes Limited, Deacon Works Littles hampton, Sussex, England or equal and approved.

The tradename for traps manufactured by this company is 'Grevak'.

2.2.4 Pipe Supports

a) <u>Introduction</u>

This deals with pipe supports securing pipes to the structure of buildings for above ground application.

The variety and type of support shall be kept to a minimum and their design shall be such as to facilitate quick and secure fixings to metal, concrete, masonry or wood.

Consideration shall be given, when designing supports, to the maintenance of desired pipe falls and the restraining of pipe movements to a longitudinal axial direction only.

The contractor shall supply and install all steelwork forming part of the pipe support assemblies and shall be responsible for making good damage to builders work associated with the pipe support installation.

The contractor shall submit all his proposals for pipe supports to the Engineer for approval before any erection works commence.

b) <u>Steel and Copper Pipes and Tubes</u>

Pipe runs shall be secured by clips connected to pipe angers, wall brackets, or trapeze type supports. 'U' bolts shall not be used as a substitute for pipe clips without the prior approval of the Engineer.

10

An approximate guide to the maximum permissible supports spacing in metres for steel and copper pipe and tube is given in the following table for horizontal runs.

| Size Nominal Bores | to B.S. 659 | Copper Tube Steel Tube to B.S. 1387 |
|-----------------------|-------------|-------------------------------------|
| 15mm | 1.25m | 2.0m |

| 20mm | 2.0m | 2.5m |
|-------|------|------|
| 25mm | 2.0m | 2.5m |
| 32mm | 2.5m | 3.0m |
| 40mm | 2.5m | 3.0m |
| 50mm | 2.5m | 3.0m |
| 65mm | 3.0m | 3.5m |
| 80mm | 3.0m | 3.5m |
| 100mm | 3.0m | 4.0m |
| 125mm | 3.0m | 4.5m |
| 150mm | 3.5m | 4.5m |

The support spacing for vertical runs shall not exceed one and a half times the distances given for horizontal runs.

c) Expansion Joints and Anchors

Where practicable, cold pipework systems shall be arranged with sufficient bends and changes of direction to absorb pipe expansion providing that the pipe stresses are contained within the working limits prescribed in the relevant B.S. specification.

Where piping anchors are supplied, they shall be fixed to the main structure only. Details of all anchor design proposals shall be submitted to the Engineer for approval before erection commences.

The contractor when arranging his piping shall ensure that no expansion movements are transmitted directly to connections and flanges on pumps or other items of plant.

The contractor shall supply flexible joints to prevent vibrations and other Movements being transmitted from pumps to piping systems or vice versa.

2.2.5 Sanitary Appliances

All sanitary appliances supplied and installed as part of the works shall comply with the general requirements of B.S. Code of Practice 305 and the particular requirements of the latest B.S. Specifications.

2.2.6 Pipe Sleeves

Main runs of pipework are to be fitted with sleeves where they pass through walls and floors. Generally the sleeves shall be of P.V.C. except where they pass through the structure, where

they shall be mild steel. The sleeves shall have 6mm – 12mm clearance all around the pipe or for insulated pipework all around the installation.

The sleeve will then be packed with slag wool or similar.

2.3 INSTALLATION

2.3.1 Introduction

Installation of all pipework, valves, fittings and equipment shall be carried out under adequate supervision from skilled staff to the relevant codes and standards as specified herein. The contractor shall be responsible to for ensuring that all builders work associated with his piping installation is carried out in a satisfactory manner to the approval of the Engineer.

2.3.2 Above Ground Installation

a) Water Services

Before any joint is made, the pipes shall be hung in their supports and adjusted to ensure that the joining faces are parallel and any falls which shall be required are achieved without springing the pipe.

Where falls are not shown or stated elsewhere in the Specification, pipework shall be installed parallel to the lines of the buildings and as close to the walls, ceilings, columns, etc., as is practicable.

All water systems shall be provided with sufficient drain points and automatic air vents to enable them to function correctly.

Valves and other user equipment shall be installed with adequate access for operation and maintenance. Where valves and other operational equipment are unavoidably installed beyond normal reach or in such position as to be difficult to reach from a small step ladder, extension spindles with floor or wall pedestals shall be provided.

Screwed piping shall be installed with sufficient number of unions to facilitate easy removal of valves and fittings, and to enable alterations of pipework to be carried out without the need to cut the pipe.

12

Full allowances shall be made for the expansion and contraction of pipework, precautions being taken to ensure that any force produced by the pipe movements are not transmitted to valves, equipment or plant.

All screwed joints to piping and fittings shall be made with P.T.F.E. tape.

The test pressure shall be maintained by the pump for about one hour and if there is any leakage, it shall be measured by the quantity of water pumped into the main in that time. A general leakage of 4.5 litres per 25mm of diameter, per 1.6 kilometres per 24 hours per 30 metres head, may be considered reasonable but any visible individual leak shall be repaired.

b) <u>Sanitary Services</u>

Soil, waste and vent pipe system shall be installed in accordance with the best standard of modern practice as described in B.S. 5572 to the approval of the Engineer.

The contractor shall be responsible for ensuring that all ground waste fittings are discharged to a gully trap before passing to the sewer via a manhole.

All necessary rodding and inspection facilities within the draining system in positions where easy accessibility is available.

Where a branch requires rodding facilities in a position to which normal access is unobtainable, then that branch shall be extended so as to provide a suitable purpose made rodding eye

in the nearest adjacent wall or floor to which easy access is available.

The vent stacks shall terminate above roof level and where stack passes through roof, a weather skirt shall be provided. The contractor shall be responsible for sealing the roof after installation of the stacks.

The open end of each stack shall be fitted with a plastic coated or galvanised steel wire guard.

Access for rodding and testing shall be provided at the foot of each stack.

c) <u>Sanitary Appliances</u>

All sanitary appliances associated with the works shall be installed in accordance with the best standard of modern practice as described in C.P. 305 to the approval of the Engineer.

2.40 TESTING AND INSPECTION

2.4.1 Site Tests – Pipework Systems

a) <u>Above Ground Internal Water Services Installation</u>

All water service pipe system installed above ground shall be tested hydraulically for a period of one hour to not less than one and half times to design working pressure.

If preferred, testing the pipelines in sections may be done. Any such section found to be satisfactory need not be the subject of a further test when system has been completed, unless specifically requested by the Engineer.

During the test, each branch and joint shall be examined carefully for leaks and any defects revealed shall be made good by the Sub-contractor and the section re-tested.

All necessary precautions to be taken to prevent damage occurring to special valves and fittings during the tests. Any item damaged shall be repaired or replaced at the Sub-contractor's expenses.

b) Above Ground Soil Waste and Ventilation System

All soil, waste and ventilating pipe system forming part of the above ground installation, shall be given appropriate test procedures as described in B.S. 5572, 1972.or KS02-254:1986

Smoke tests on above ground soil, waste and ventilating pipe system shall not be permitted.

Pressure tests shall be carried out before any work which is to be concealed is finally enclosed. In all respects, tests shall comply with the requirements of B.S. 5572.

2.4.2 <u>Site Test – Performance</u>

Following satisfactory pressure test on the pipework system operational tests shall be carried out in accordance with the relevant B. S. Code of practice on the systems as a whole to establish that special valves, gauges, control, fittings, equipment and plant are functioning correctly to the satisfaction of the Engineer.

All hot water pipework shall be installed with pre-formed fibre glass lagging to a thickness of 25mm where the pipe runs above a false ceiling or in areas where the ambient temperature is higher than normal with the result that pipe "sweating", due to condensation will cause nuisance.

All lagged pipes which run in a visible position after erection shall be given a canvas cover and prepared for painting as follows:

- i) Apply a coating of suitable filler until the canvas weave disappears and allow to dry.
- ii) Apply two coats of an approved paint and finish in suitable gloss enamel to colors
- iii) Approved by the Engineer.

All lagging for cold and hot water pipes erected in crawlways, ducts and above false ceiling which after erection are not visible from the corridors of rooms, shall be covered with a reinforced aluminium foil finish banded in colours to be approved by the Engineer.

In all respects, unless otherwise stated, the hot and cold water installation shall be carried out in accordance with the best standard of modern practice and described in C.P.342 and C.P.310 respectively to the approval of the Engineer.

The test pressure shall be applied by means of a manually operated test pump or, in the case of long main or mains of large diameter, by a power driven test pump which shall not be left unattended. In either case precautions shall be taken to ensure that the required pressure is not exceeded.

Pressure gauges should be recalibrated before the tests.

The contractor shall be deemed to have included in his price for all test pumps, and other equipment required under this specification.

The test pressure shall be one and a half times the maximum working pressure except where a pipe is manufactured from a material for which the relevant B.S. specification designates a maximum test pressure.

2.5 STERILISATION OF COLD WATER SYSTEM

All water distribution system shall be thoroughly sterilized and flushed out after the completion of all tests and before being fully commissioned for handover.

The sterilisation procedures shall be carried out in accordance with the requirements of B.S. Code of Practice 301, Clause 409 and to the approval of the Engineer.

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

| | | | | | AMOUNT | |
|--------|---|-----|------|------|-----------|-----|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | KSHS | СТЅ |
| A | Discrepancies | | | | | |
| В | Conditions of sub-contract Agreement | | | | | |
| С | Payments | | | | | |
| D | Site location | | | | | |
| E | Scope of Contract Works | | | | | |
| F | Extent of the Contractor's Duties | | | | | |
| G | Firm price contract | | | | | |
| н | Variation | | | | | |
| l J | Provide provisional sum of kshs. 1,800,000(Kenya shillings One Million Eight Hundred Thousand Only) For Site Visits/Meetings For 3No. Years Contract Period | | | | 1,800,000 | |
| к | Provide provisional sum (insert profit and attendance which is a percentage of expended PC or provisional sum.) | | | | | |
| | Government Legislation and Regulations | | | | | |

SCHEDULE 1 – CONTRACT PRELIMINARIES

| L | | | | | |
|---|--|----------|--------|--|--|
| | Import Duty and Value Added Tax clause | | | | |
| | 1.17 (Note this clause applies for materials supplied only. VAT will also be paid by | | | | |
| | the contractor as allowed in the summary | | | | |
| | page) | | | | |
| М | | | | | |
| | Insurance company Fees | | | | |
| Ν | | | | | |
| | Provision of services by the Main | | | | |
| | contractor | | | | |
| 0 | | | | | |
| | Samples and Materials Generally | | | | |
| | Sub total conviod for word To C | alladia | n Daga | | |
| | Sub-total carried forward To C | ollectio | n rage | | |

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

| | | | | | AMOU | NT |
|------|-------------|-----|------|------|------|----|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | KSHS | СТ |
| | | | | | | S |

| A | Supplies | | | | |
|---|---|---------|--------|------|--|
| В | Bills of Quantities | | | | |
| с | Contractor's Office in Kenya | | | | |
| D | Builder's Work | | | | |
| E | Setting to work and Regulating system | | | | |
| F | Identification of plant components | | | | |
| G | Working Drawings | | | | |
| н | Record Drawings (As Installed) and Instructions | | | | |
| 1 | Maintenance Manual | | | | |
| J | Hand over | | | | |
| к | Painting | | | | |
| L | Testing and Inspection – manufactured plant | | | | |
| м | Testing and Inspection – Installation | | | | |
| N | Storage of Materials | | | | |
| 0 | Initial Maintenance | | | | |
| | Sub-total for this page | | | | |
| | Sub-total brought forward from previous page | | | | |
| | | | | | |
| | Total for preliminaries carried forward to Main | price s | ummary | page | |
| | | | | | |

BILLS OF QUANTITIES- PROPOSED MAINTENANCE WORKS AT THE NATIONAL TREASURY

| Itom | DESCRIPTION | ΟΤΥ | UNIT | RATE | AMOUNT |
|------|-------------|-----|------|------|--------|
| nem | DESCRIPTION | | UNIT | RATE | |

| | MAINTENANCE WORKS | | | | |
|----|--|-----|--------|------|--|
| | SEPERATION OF GROUND FLOOR DRAINAGE STACK FROM THE REST OF MAIN FLOORS | | | | |
| Α. | Allow for separation of ground floor drainage stack from the main drainage stack and extent it to the top slab,300mm above the current roof using 150mm diameter PVC grey pipe including using the appropriate fittings thus bend, reducers, boss connectors etc where necessary, clipping and covering the pipe end with 150mm diameter vent cowl | 3 | Item | | |
| В. | Allow for the rehabiliation of the drainage stack serving 14 th floor to 1 st floor to outside to the nearest manhole <u>MAINTENANCE OF FRESH WATER DISTRIBUTION</u> <u>SYSTEM FROM THE REST OF MAIN FLOORS</u> | 3 | Item | | |
| C. | Allow for the rehabilitation, maintenance and repairs of the fresh water supply pipings stack serving all the floors of all the 3No. Buildings | 42 | Floors | | |
| | PERIODIC MAINTENANCE THREE (3NO.) YEARS | | | | |
| | HERUFI HOUSE WASHROOMS | | | | |
| | GROUND FLOOR WORKS | | | | |
| | AUTOMATIC SENSORS FOR WHB | | | | |
| D. | Maintain the existing automatic sensors and all flexible connectors with 15mm diameter copper tubing ,approximately 300mm long complete with back nuts on all flows via 15mm diameter Angle water regulating valve as "Apex marking neutral' to Wash Hand basins | 48 | No | | |
| Ε. | Toilet roll dispenser as velvex or equal and approved | 48 | No | | |
| | <u>VIP KITCHENS</u> | 10 | NI | | |
| F. | Maintain the existing Under sink instantaneous sink automatic hot water electric heater of capacity 7 litres with a single phase(240v 50 Hz) 3.0 Kw heating element and thermostatically adjustable between 5-9° C and complete with pressure mixture tap including fixing and making all the connection to water and power. | 12 | No | | |
| | AUTOMATIC HAND DRIERS | | | | |
| G. | Automatic Hand drier with a heating element of 2.25 Kw, single phase (240v 50Hz), and performance flow rate of 135CFM (3.82m/min) and operating on an infra-red automatic sensor system with a safety cut out, as "Med clinic SANFLO Ref; ZHNDDRY10 white steel# 889or equal and approved. | 48 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | + | | |
| | | DOD | | | |
| | | BQ2 | | | |

| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | AUTOMATIC FLUSH SENSORS FOR URINALS | | | | |
| Α. | Automatic flush sensors complete with polished exterior ADA lever handle,1.6 gallons per flush, Fit 1 1/2 ' top spud toilets, on hold open, no peak handle feature, TPE (thermoplasticelastometer) diaphragm- chloramines resistant, dual sel, clog resistant, triple filtered bypass flow ,flush bend unit complete with connecting to anew toilet pan, water supply ,all inclusive as Zurn flush valves or equal and approved | 48 | No | | |
| Β. | Bib taps | 48 | No | | |
| C. | Automatic Soap Dispensers | 48 | No | | |
| D. | 15mm diameter time delay front push bip taps ,complete with connecting to water line and basin, as well as 2NO. Dhobi plastic heavy duty bottle traps | 12 | No | | |
| E. | Maintain the existing automatic sensors and all flexible connectors with 15mm diameter copper tubing ,approximately 300mm long complete with back nuts on all flows via 15mm diameter Angle water regulating value as "Apex marking neutral' to basins | 48 | No. | | |
| F. | 13amps twin metal clad socket outlet | 1 | No | | |
| G. | 15mm diameter time delay front push bip taps t,complete with connecting to water line and basin, as well as 2NO Dhobi plastic heavy duty bottle traps | 1 | No | | |
| H. | 13Amp single metal clad socket outlet | 12 | No. | | |
| 1. | Ditto but twin socket outlet | 12 | No. | | |
| 1. | DUCT AREA | 12 | 110. | | |
| J. | 15mm diameter time delay front push bip taps ,complete with connecting to water line and basin, as well as 2NO Dhobi plastic heavy duty bottle traps | 12 | No. | | |
| К. | 15mm diameter Swan neck swivel head pillar sink tap as "COBRA" or equal and approved | 12 | No. | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ4 | | | |
| ltem | DESCRIPTION | QTY | | RATE | AMOUNT |
| | 2 ND FLOOR WORKS- HERUFI HOUSE | | | | |
| | AUTOMATIC SENSORS FOR WC | | | | |

| A. | Maintain the existing automatic sensors and all flexible connectors with 15mm diameter copper tubing ,approximately 300mm long complete with back nuts on all flows via 15mm diameter Angle water regulating valve as "Apex marking neutral' to Wash Hand basins | 48 | No | |
|------------|--|-----|-----|--|
| В. | Maintain the existing automatic sensors and all flexible connectors with 15mm diameter copper tubing ,approximately 300mm long complete with back nuts on all flows via 15mm diameter Angle water regulating value as "Apex marking neutral' to basins | 48 | No. | |
| | KITCHEN AREA | | | |
| C. | 15mm diameter Swan neck swivel head pillar sink tap as "COBRA" or equal and approved | 12 | No | |
| D. | 13Amp single metal clad socket outlet | 48 | No | |
| <i>D</i> . | | 40 | INO | |
| E. | Ditto but twin socket outlet | 48 | No | |
| | | | | |
| F. | 15mm diameter time delay push bip taps as cobra or equal and approvedl,complete with connecting to water line and sink, | 48 | No | |
| | AUTOMATIC SENSORS FOR WHB | | | |
| G. | Maintain the existing automatic sensors and all flexible connectors with 15mm diameter copper tubing ,approximately 300mm long complete with back nuts on all flows via 15mm diameter Angle water regulating valve as "Apex marking neutral' to Wash Hand basins | 48 | No | |
| | | 10 | | |
| Н | Maintain Automatic Hand drier with a heating element of 2.25 Kw,single phase(240v 50Hz), and performance flow rate of 135CFM(3.82m/min) and operating on an infra-red automatic sensor system with a safety cut out, as "Mediclinic SANFLO Ref; ZHNDDRY10 white steel# 889or equal and approved. | 48 | No | |
| | | | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | |
| | | BQ5 | | |
| | | BQ8 | | |
| | | | | |
| | | | | |
| | | | | |
| | DUCT DOORS | | | |

| | Allow for careful removal of the existing duct doors and handover to the client for safe custody. | 1 | ltem | | |
|------|--|-----|----------------|--|--|
| | Supply ,deliver and install a single leaf, single swing steel door size 900mm x2200mm, fabricated from a 32x50x3mm thickness16 swg black sheet, double fold lavred plates at 100mm thick c/c spread through entire panel and primered and complete with all the necessary iron mongery as union lock(Three lever),tower bolts and hinges | | | | |
| | - frame 75mmx50x3mm RHS door frame | | | | |
| | - Mullions 32x50 x3 RHS | 2 | No | | |
| | | | | | |
| | Allow for making good the disturbed areas to match the surrounding areas. | 1 | ltem | | |
| | | | | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ9 | | | |
| | | БДЭ | | | |
| ltem | DESCRIPTION | | Amount (Kshs) | | |
| _ | DESCRIPTION | _ | | | |
| | COLLECTION PAGE | | | | |
| | | | | | |
| | Total Brought forward from page BQ-2 | | | | |
| | Total Brought forward from page BQ-3 | | | | |
| | Total Brought forward from page BQ-4 | | | | |
| | Total Brought forward from page BQ-5 | | | | |
| | Total Brought forward from page BQ-6 | | | | |
| | Total Brought forward from page BQ-7 | | | | |
| | | | | | |

| | Total Brought forward from page BQ-9 | | | | |
|-----|---|------|------|------|--------|
| | | | | | |
| | TOTAL FOR HERUFI HOUSE | | | | |
| | HOUSE MAINTENANCE WORKS | | | | |
| | CARRIED TO SUMMARY PAGE | | | | |
| | | BQ10 | | | - |
| tem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | PERIODIC MAINTENANCE THREE (3NO.) YEARS | | | | |
| | TREASURY BUILDING | | | | |
| | 1) GROUND FLOOR | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand basin with pedestal stand-4NO | 144 | No | | |
| | (ii) 300x300mm wash hand basin-1 NO | 36 | No | | |
| | (iii) Urinal automatic cistern- 1 NO | 36 | No | | |
| | (vi) High level cisterns- 2 NO | 72 | No | | |
| | (v) Asian type WC -2 NO | 72 | No | | |
| | (vi) Close Coupled WC-1 NO | 36 | No | | |
| | (vii) Asian type WC-2NO | 72 | No | | |
| | (viii) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (ix) Urinal slab-1 NO | 36 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning- 1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | (iv) Ditto but twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | 1 | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 2) <u>FIRST FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin -6NO | 216 | No | 1 | |
| | ii) Water Closet-6 NO | 216 | No | | |

| | iii) Urinal bowls-3 NO | 108 | No | | |
|------|---|------|------|------|--------|
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Toilet Flush valves-6 NO | 216 | No | | |
| | | | | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ11 | | | |
| | | | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | vii) Double bowl Dhobi sinks.1 set | 36 | No | | |
| | viii) Front Automatic Sensor Taps(15mm diam)-2NO | 72 | No | | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | x) Urinal slab-1 NO | 36 | No | | |
| | xi) Hand drier-2NO | 72 | No | | |
| | xii) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | iv. Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>SECOND FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are | | | | |
| | properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | | |
| | ii) Water Closet-6 NO | 216 | No | | |
| | iii) Urinal bowls-3 NO | 108 | No | | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Toilet Flush valves-6 NO | 216 | No | | |
| | vii) Double bowl Dhobi sinks.1 set | 36 | No | | |
| | viii) Automatic Sensor delay Taps-2No | 72 | No | + | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | x) Handrier-2NO | 72 | No | 1 | |
| | xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN(COMMUNICATION SECTION | | 1 | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |

| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
|------|---|-----------|----------|------|--------|
| | iv. Ditto but twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ12 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 4) THIRD FLOOR | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | | |
| | ii) Water Closet-6 NO | 216 | No | | |
| | iii) Urinal bowls-3 NO | 108 | No | | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Toilet Flush valves-6 NO | 216 | No | | |
| | vii) Double bowl Dhobi sinks.1 set | 36 | No | | |
| | viii) Automatic Sensor delay Taps-2No | 72 | No | | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO x) Handrier-2NO | 144 72 | No No | | |
| | xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | 110 | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | iv. Ditto but twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 4) <u>FOURTH FLOOR</u> | | | | |
| | Checking the following to ensure that they are | | | | |
| | properly fixed and mounted: | | | | |

| | (i) Wash Hand Basin with 6No | 216 | No | | |
|------|---|------|------|------|--------|
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 108 | No | | |
| | (iv) Urinal Divides 2No | 72 | No | | |
| | (v) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 72 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ13 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | (vii) Front push delay taps 2No | 72 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | i) Kitchen sink,tap and waste- 1NO | 36 | No | | |
| | ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all | 36 | No | | |
| | appliances | | | | |
| | d) Ensuring zero water leakages from all the | 36 | No | | |
| | appliances e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet | 36 | No | | |
| | pans to waste line. | 50 | NO | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) FIFTH FLOOR | | | | |
| | a) Checking the following to ensure that they are | | | | |
| | properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 72 | No | | |
| | (iv) Urinal Divides 2No | 72 | No | 1 | |
| | (v) Urinal Automatic cistern 1No | 36 | No | 1 | |
| | (vi) Double Bowl dhobi | 216 | No | | |
| | (vii) Front push delay taps 2No | 36 | No | | |
| | (viii) Toilet Flush valves-6 NO | 72 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | | | | | |
| | KITCHEN | 36 | No | | |
| | i) Kitchen sink,tap and waste- 1NO | 36 | No | | |
| | ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |

| | iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
|------|---|------|------|------|--------|
| | | | | | |
| | _b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ14 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>SIXTH FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | | |
| | ii) Water Closet-6 NO | 216 | No | | |
| | iii) Urinal bowls-3 NO | 108 | No | | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Double bowl Dhobi sinks.1 set | 216 | No | | |
| | vii) Automatic Sensor delay Taps-2No | 36 | No | | |
| | viii) Toilet Flush valves-6 NO | 72 | No | | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | x) Handrier-2NO | 72 | No | | |
| | xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | iv. Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul waste | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e) Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>SEVENTH FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | | |

| | ii) Water Closet-6 NO | 216 | No | | |
|------|---|------|----------|------|--------|
| | iii) Urinal bowls-3 NO | 108 | No | | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Double bowl Dhobi sinks.1 set | 36 | No | | |
| | vii) Automatic Sensor delay Taps-2No | 72 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ15 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | viii) Toilet Flush valves-6 NO | 216 | No | | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | | | | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 | 36 | No | | |
| | NO | 24 | <u>.</u> | | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>EIGTH FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | 1 | |
| | ii) Water Closet-6 NO | 216 | No | 1 | |
| | iii) Urinal bowls-3 NO | 108 | No | 1 | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | 1 | |
| | i) Double bowl Dhobi sinks.1 set | 36 | No | 1 | |
| | ii) Front push delay taps 2-NO | 72 | No | 1 | |
| | vi) Toilet Flush valves-6 NO | 216 | No | | |
| | vii) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | viii) Handrier-2NO | 72 | No | | |
| | ix) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | 1 |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | 1 |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |

| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
|------|---|------|------|------|--------|
| | iv. Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ16 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>NINTH FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i) Wash Hand basin with -6NO | 216 | No | | |
| | ii) Water Closet-6 NO | 216 | No | | |
| | iii) Urinal bowls-3 NO | 108 | No | | |
| | iv) Urinal Divides- 2NO | 72 | No | | |
| | v) Urinal automatic cistern- 1 NO | 36 | No | | |
| | vi) Double bowl Dhobi sinks.1 set | 36 | No | | |
| | vii) Automatic Sensor delay Taps-2No | 72 | No | | |
| | viii) Toilet Flush valves-6 NO | 216 | No | | |
| | ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | x) Handrier-2NO | 72 | No | | |
| | xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | <u>KITCHEN</u> | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) <u>TENTH FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |

| | (iii) Urinal bowls 3No | 108 | No | | |
|------|---|------|------|------|--------|
| | (iv) Urinal Divides 2No | 72 | No | | |
| | (v) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ17 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | (vii) Front push delay taps 2No | 72 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | (iv) Ditto twin 1NO | 36 | No | 1 | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all | 36 | No | | |
| | appliances | | | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 3) ELEVENTH(<u>11^{TH)} FLOOR</u> | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 108 | No | | |
| | (iv) Urinal Divides 2No | 72 | No | | |
| | (v) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 36 | No | | |
| | (vii) Front push delay taps 2No | 72 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | 1 | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | 1 | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | 1 | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | 1 | |

| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
|------|--|------|------|------|--------|
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ18 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 12 TH -TWELFTH FLOOR | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 108 | No | | |
| | (iv) Urinal Divides 2No | 72 | No | | |
| | (ν) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 36 | No | | |
| | (vii) Front push delay taps 2No | 72 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 108 | No | | |
| | <u>KITCHEN</u> | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the | 36 | No | | |
| | appliances)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 13 TH - THIRTEENTH FLOOR | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 108 | No | 1 | |

| | (iv) Urinal Divides 2No | 72 | No | | |
|------|---|------|------|------|--------|
| | (v) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 36 | No | | |
| | (vii) Front push delay taps 2No | 36 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ19 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 14 TH - FOURTEENTH FLOOR | | | | |
| | COMMON WASHROOMS | | | | |
| | a) Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Wash Hand Basin with 6No | 216 | No | | |
| | (ii) Water Closet 6No | 216 | No | | |
| | (iii) Urinal bowls 3No | 108 | No | | |
| | (iv) Urinal Divides 2No | 72 | No | | |
| | (v) Urinal Automatic cistern 1No | 36 | No | | |
| | (vi) Double Bowl dhobi | 36 | No | | |
| | (vii) Front push delay taps 2No | 72 | No | | |
| | (viii) Toilet Flush valves-6 NO | 216 | No | | |
| | (ix) Automatic Sensor Taps(15mm diam)-4NO | 108 | No | | |
| | (x) Handrier-2NO | 72 | No | | |
| | (xi) Twin 4ft fluorescent fitting c/w tube -4 NO | 108 | No | | |
| | (xii) Ditto but 2ft-4NO | 144 | No | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (iv) Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |

| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
|------|--|------|------|------|--------|
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ20 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | d) Ensuring zero water leakages from all the | 36 | No | | |
| | appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | | | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | VIP | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | LADIES | | | | |
| | i. Pedestal Wash Hand basin with -1NO | 36 | No | | |
| | ii. Water Closet-1 NO | 36 | No | | |
| | iii. Toilet Flush valves-1 NO | 36 | No | | |
| | iv. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | v. Handrier-1NO | 36 | No | | |
| | MALE | | | | |
| | (i) Pedestal Wash Hand basin with -2NO | 72 | No | | |
| | (ii) Water Closet-1NO | 36 | No | | |
| | (iii) Toilet Flush valves-2 NO | 72 | No | | |
| | (iv) Automatic Sensor Taps(15mm diam)-2NO | 72 | No | | |
| | (v) Handrier-1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | PRINCIPAL SECRETARY'S WASH ROOM | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | (i) Desktop Wash Hand basin with -1NO | 36 | No | | |
| | (ii) Close coupled Water Closet-1 NO | 36 | No | | |
| | (iii) Concealed Shower with swivel head -1 NO | 36 | No | | |
| | (iv) Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | (v) Handrier-2NO | 72 | No | | |
| | (vi) Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | (vi) Shaver unit- 2NO | 72 | No | | |
| | (vii) Twin socket outlet-1 NO | 36 | No | | |
| | (viii) Under sink heater- 1NO | 36 | No | | |

| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
|------|---|------|------|------|--------|
| | | BQ21 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | CABINET SECRETARY'S(ROOM 1404) | | | | |
| | WASHROOM | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Desktop Wash Hand basin with -1NO | 36 | No | | |
| | ii. Close coupled Water Closet-1 NO | 36 | No | | |
| | iii. Shower Cubicle complete with instantaneous heater and booster pumpwith swivel head -1 NO | 36 | No | | |
| | iv. Bath tub-1 NO | 36 | No | | |
| | v. Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | vi. Shaver unit- 2NO | 72 | No | | |
| | vii. Handrier- 1NO | 36 | No | | |
| | viii. Under sink heater- 1NO | 36 | No | | |
| | CABINET SECRETARY'S OFFICE | | | | |
| | A) MAIN OFFICE | | | | |
| | (i) 2 ft Fluorescent fitting c/w tube 135 NO | 4860 | No | | |
| | (ii) Ditto bu in minister's private room 90 NO | 3240 | No | | |
| | <u>B) KITCHEN</u> | | | | |
| | (i) Double bowl double drain stainless steel sink-1NO | 36 | No | | |
| | (ii) Instantaneous undersink Heater-1NO | 36 | No | | |
| | (iii) Extract fan-1NO | 36 | No | | |
| | (iv) Single 13 amp socket outlet-1NO | 36 | No | | |
| | (v) Ditto but twin | 36 | No | | |
| | (vi) Cooker control unit-1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |

| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
|-----|---|------|------|------|--------|
| | | BQ22 | | | |
| tem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | SUMP WATER PUMPS IN TREASURY BASEMENT | | | | |
| | Servicing of the existing sump water pumps as to be inspected during site vist, to be done on quarterly (3months) basis | 12 | No | | |
| | EXISTING WASHROOMS | | | | |
| | | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. DesktopWash Hand basin with -1NO | 36 | No | | |
| | ii. Close coupled Water Closet-1 NO | 36 | No | | |
| | iii. Shower complete with instantaneous heater and -1 NO | 36 | No | | |
| | iv. Kitchen sink and bottle trap-1NO | 36 | No | | |
| | v. Automatic Sensor Taps(15mm diam)-4NO | 36 | No | | |
| | vi. Bath tub-1NO | 36 | No | | |
| | vii. Handrier-2NO | 72 | No | | |
| | viii. Twin 4ft fluorescent fitting c/w tube -4 NO | 144 | No | | |
| | ix. Shaver unit- 2NO | 72 | No | | |
| | x. Twin socket outlet-1 NO | 36 | No | | |
| | xi. Under sink heater- 1NO | 36 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | iv. Ditto twin 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| - | BASEMENT | | | | |
| | PRESSURIZED WATER BOOSTER PUMPS | | | | |
| | Servicing of the existing booster pumps as to be inspected and valuated on site visit day | 12 | No | | |
| | BQ-2,to be done on quarterly(3months) basis | | | | |

| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
|------|--------------------------------------|------|-------|------------|---|
| | | BQ23 | | | |
| | | | | | |
| ltem | DESCRIPTION | | Amour | nt (Kshs) | 1 |
| | | | | | |
| | | | | | |
| _ | | | | | |
| | | | | | |
| | COLLECTION PAGE | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 11 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 12 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 13 | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 14 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 15 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 16 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 17 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 18 | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 19 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 20 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 21 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 22 | | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 23 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR TREASURY BUILDING MONTHLY | | | | |
| | MAINTENANCE, CARRIED TO SUMMARY PAGE | | | | |

| | | BQ24 | | | |
|------|---|------|------|------|--------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Item | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | BIMA HOUSE | | | | |
| | <u>13™ - THIRTEENTH FLOOR</u> | | | | |
| | a)Checking the following to ensure that they are | | | | |
| | properly fixed and mounted: | | | | |
| | i. Wash Hand basin -1NO | 36 | No | | |
| | ii. Water Closet-1 NO | 36 | No | | |
| | iii. Urinal ceramic slab single with 1 divisions-2 NO | 72 | No | | |
| | iv. Automatic urinal cistern-2NO | 72 | No | | |
| | v. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | vi. Handrier-1NO | 36 | No | | |
| | vii. Twin 4ft fluorescent fitting c/w tube -2 NO | 72 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all | 36 | No | | |
| | appliances | | | | |
| | d) Ensuring zero water leakages from all the | 36 | No | | |
| | appliances | 26 | Nia | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | PENT HOUSE | 30 | NO | | |
| | | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted | | | | |
| | (i) Bath tab including waste, bath mixer-1NO | 36 | No | | |
| | (ii) Water closet with cistern-1 NO | 36 | No | | |
| | (iii) Wash hand basin- INO | 36 | No | | |
| | (iv) Automatic Sensor Taps- 2NO | 72 | No | | |
| | (v) 4ft fluorescent fitting c/w tube and cleaning-4NO | 144 | No | | |
| | (vi) Ditto but twinc/w weather proof-1NO | 36 | No | | |
| | (vii) 13Amp single socket outlet ivory /metal clad 1 | 36 | No | | |
| | NO | 50 | INO | | |
| | (viii) Cooker Control unit-1NO | 36 | No | | |
| | a)Checking the following to ensure that they are | | | | |
| | properly fixed and mounted: | | | | |
| | i. Wash Hand basin -3NO | 108 | No | | |
| | ii. Water Closet-with cisterns3 NO | 108 | No | | |

| | iii. Water closet with flush valve 1 NO | 36 | No | | |
|------|--|------|------|------|--------|
| | iv. Urinal ceramic slab single with 2 divisions-2 NO | 72 | No | | |
| | v. Urinal automatic cistern- 2 NO | 72 | No | | |
| | vi. Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | vii. Handrier-2NO | 36 | No | | |
| | viii. Spherical light fitting c/w tube -4NO | 144 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ25 | | | |
| | | | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | KITCHEN | | | | |
| | (i). Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii). 4ft fluorescent fitting c/w tube and cleaning-1NO | 36 | No | | |
| | (iii). 13Amp single socket outlet /metal clad 1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | CONTROLLER OF BUDGET ON 12 TH FLOOR | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -1NO | 36 | No | | |
| | ii. Water Closet with flusher valve-1 NO | 36 | No | | |
| | iii. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | iv. Handrier-1NO | 36 | No | | |
| | v. spherical fitting light -1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | ELEVENTH (11 TH FLOOR) | 1 | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -2NO | 72 | No | | |
| | ii. Water Closet with fusher valve-3NO | 108 | No | | |
| | | | | | |
| | iii. Toilet Flush valves-3 NO | 108 | No | | |

| | iv. Automatic Sensor Taps(15mm diam)-2NO | 72 | No | | |
|------|---|------|------|------|--------|
| | v. Handrier-1NO | 36 | No | | |
| | vi. Spherical fitting -4NO | 144 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. Spherical fitting lighting cleaning-1NO | 36 | No | | |
| | iii. 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | vii. Cooker control unit 1 NO | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ26 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 10TH (TENTH)FLOOR | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: Wash Hand basin -3NO | | | | |
| | (i) Water Closet-with cisterns3 NO | 108 | No | | |
| | (ii) Water closet with flush valve 3 NO | 108 | No | | |
| | (iii) Urinal ceramic slab single with 2 divisions-2 NO | 72 | No | | |
| | (iv) Urinal automatic cistern- 2 NO | 72 | No | | |
| | (v) Automatic Sensor Taps(15mm diam)-3NO | 108 | No | | |
| | (vi) Handrier-2NO | 72 | No | | |
| | (vii) Spherical light fitting c/w tube -5 NO | 180 | No | | |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) Spherical fitting lighting including cleaning-1NO | 36 | No | | |
| | (iii) 13Amp single socket outlet ivory /metal clad 1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 9 TH (NINETH)FLOOR | 1 | 1 | 1 | |

| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
|------|---|------|------|------|--------|
| | i. Wash Hand basin with -2NO | 72 | No | | |
| | ii. Water Closet-3 NO | 108 | No | | |
| | iii. Toilet Flush valves-1 NO | 36 | No | | |
| | iv. Automatic Sensor Taps(15mm diam)-2NO | 72 | No | | |
| | v. Handrier-1NO | 36 | No | | |
| | vi. Spherical fitting -4 NO | 144 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ27 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | KITCHEN | | | | |
| | (i) Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | (ii) Spherical fitting lighting cleaning-1NO | 36 | No | | |
| | (iii) Cooker control unit 1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | <u>VIP WASHROOMS</u> | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: Wash Hand basin -3NO | | | | |
| | (i) Water Closet-with cisterns1 NO | 36 | No | | |
| | (ii) Water closet with flush valve 1NO | 36 | No | | |
| | (iii) Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | (iv) Handrier-1NO | 36 | No | | |
| | (v) Spherical light fitting c/w tube -1 NO | 36 | No | | |
| | (vi) Shaver unit 1NO | 36 | No | | |
| | (vii) Undersink instantaneous water heater 1`NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 8th (EIGHTH) FLOOR | | 1 | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |

| | i. Wash Hand basin with -3NO | 108 | No | | |
|------|--|------|------|------|--------|
| | ii. Water Closet-3 NO | 108 | No | | |
| | iii. Urinal automatic cistern- 2 NO | 72 | No | | |
| | iv. Toilet Flush valves-1 NO | 36 | No | | |
| | v. Automatic Sensor Taps(15mm diam)-3NO | 108 | No | | |
| | vi. Urinal ceramic slab, single division-2 NO | 72 | No | | |
| | vii. Handrier-1NO | 36 | No | | |
| | viii. Sperical fitting c/w bulb-4 NO | 144 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ28 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. Spherical fitting lighting cleaning-1NO | 36 | No | | |
| | iii. Cooker control unit 1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | 7 th (SEVENTH) FLOOR | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -2NO | 72 | No | | |
| | ii. Water Closet-3 NO | 108 | No | | |
| | iii. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | iv. Handrier-1NO | 36 | No | | |
| | v. Spherical fitting c/w bulb -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink, tap and waste- 1NO | 36 | No | | |
| | ii. Spherical fitting lighting cleaning-1NO | 36 | No | | |
| | iii. Twin Socket outlet ivory | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | VIP-AUDITOR | 1 | | | |

| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
|------|--|------|------|------|--------|
| | vi. Wash Hand basin with -1NO | 36 | No | | |
| | vii. Water Closet-1 NO | 36 | No | | |
| | viii. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | ix. Handrier-1NO | 36 | No | | |
| | x. 4ft sphe rical fitting c/w bulb -1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ29 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | | | | | |
| | <u>6TH (SIXTH) FLOOR</u> | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | iv. Wash Hand basin with -3NO | 108 | No | | |
| | v. Water Closet-2 NO | 72 | No | | |
| | vi. Urinal automatic cistern- 2 NO | 72 | No | | |
| | vii. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | viii. Cer amic Urinal slab-2 NO | 72 | No | | |
| | ix. Handrier-2NO | 72 | No | | |
| | x. Spherical fitting c/w tube -1 NO | 36 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink,2NO taps and waste- 1NO | 36 | No | | |
| | ii. Spherical light fitting cleaning-1NO | 36 | No | | |
| | iii. Socket outlet ivory 2 NO | 72 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | VIP | 1 | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -1NO | 36 | No | + | |

| | ii. Water Closet-1NO | 36 | No | | |
|------|--|------|------|------|--------|
| | iii. Urinal Bowl-1NO | 36 | No | | |
| | iv. Urinal automatic cistern- 1 NO | 36 | No | | |
| | v. Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | vi. Handrier-2NO | 72 | No | | |
| | vii. Twin 5ft fluorescent fitting c/w tube -1 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | e)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ30 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | <u>5TH (FIFTH) FLOOR</u> | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -2NO | 108 | No | | |
| | ii. Water Closet-3 NO | 108 | No | | |
| | iii. Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | iv. Handrier-1NO | 36 | No | | |
| | v. Spherical light moon type feeting fitting c/w tube -3 NO | 108 | No | | |
| | KITCHEN | | | | |
| | iv. Kitchen sink, with swan neck tap and waste- 1NO | 36 | No | | |
| | v. Spherical lightmoon type fitting cleaning-1NO | 36 | No | | |
| | vi. Socket outlet ivory 21NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | <u>4TH (FOURTH) FLOOR</u> | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | xi. Wash Hand basin -3NO | 108 | No | 1 | |
| | xii. Water Closet-3 NO | 108 | No | 1 | |

| | xiii. Urinal automatic cistern- 2 NO | 72 | No | | |
|------|--|--|--|------|--------|
| | xiv. Automatic Sensor Taps(15mm diam)-3NO | 108 | No | | |
| | xv. Cer amic Urinal slab-2 NO | 72 | No | | |
| | xvi. Handrier-2NO | 72 | No | | |
| | xvii. Spherical fitting c/w tube -4NO | 144 | No | | |
| | | | | | |
| | KITCHEN | | | | |
| | vii. Kitchen sink,2NO taps and waste- 1NO | 36 | No | | |
| | viii. Spherical light fitting cleaning-1NO | 36 | No | | |
| | ix. Socket outlet ivory 2 NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ31 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | | | | | |
| | <u>3RD (THIRD) FLOOR</u> | | | | |
| | 3 RD (THIRD) FLOOR a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | a)Checking the following to ensure that they are | 72 | No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | 72 108 | No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO | 108 | No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO | 108 144 | No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO | 108 144 72 | No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO | 108 144 72 | No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO <u>KITCHEN</u> xi. Kitchen sink, tap and waste- 1NO | 108 144 72 | No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO <u>KITCHEN</u> xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO | 108 144 72 72 72 36 36 36 | No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO <u>KITCHEN</u> xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO | 108 144 72 72 72 36 | No No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO <u>KITCHEN</u> xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO b) Ensuring proper flow of water to all appliances. | 108 144 72 72 72 36 36 36 | No No No No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO KITCHEN xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO b) Ensuring proper flow of water to all appliances. c) Ensuring proper flow of foul water from all appliances | 108 144 72 72 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 | No No No No No No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO KITCHEN xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO b) Ensuring proper flow of water to all appliances. c) Ensuring proper flow of foul water from all appliances d) Ensuring zero water leakages from all the appliances | 108 144 72 72 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 | No No No No No No No No | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO KITCHEN xi. Kitchen sink, tap and waste- 1NO xiii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO b) Ensuring proper flow of water to all appliances. c) Ensuring proper flow of foul water from all appliances d) Ensuring zero water leakages from all the appliances e)Ensuring zero foul water leakages | 108 144 72 72 36 | NoNoNoNoNoNoNoNoNoNoNoNoNoNo | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: vi. Wash Hand basin with -2NO vii. Water Closet-3 NO viii. Automatic Sensor Taps(15mm diam)-4NO ix. Handrier-2NO x. Spherical fitting c/w bulb -2 NO KITCHEN xi. Kitchen sink, tap and waste- 1NO xii. Spherical light fitting cleaning-1NO xiii. Twin Socket outlet ivory 2 NO b) Ensuring proper flow of water to all appliances. c) Ensuring proper flow of foul water from all appliances d) Ensuring zero water leakages from all the appliances | 108 144 72 72 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 36 | No No No No No No No No | | |

| | 2ND (SECOND) FLOOR | | | | |
|------|---|--|----------------------------------|------|--------|
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | i. Wash Hand basin with -3NO | 108 | No | | |
| | ii. Water Closet-3 NO | 108 | No | | |
| | iii. Urinal automatic cistern- 2 NO | 72 | No | | |
| | iv. Automatic Sensor Taps(15mm diam)-2NO | 72 | No | | |
| | v. Ceramic Urinal slab-2 NO | 72 | No | | |
| | vi. Handrier-1NO | 36 | No | | |
| | vii. Spherical fitting c/w tube -4 NO | 144 | No | | |
| | KITCHEN | | | | |
| | i. Kitchen sink,2NO taps and waste- 1NO | 36 | No | | |
| | ii. Spherical light fitting cleaning-1NO | 36 | No | | |
| | iii. Cooker control 1NO | 36 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ32 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | e)Ensuring zero foul water leakages | 36 | Νo | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | Νο | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | <u>1st (FIRST) FLOOR</u> | | | | |
| | a)Charlying the following to ensure that they are | - | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | | 72 | No | | |
| | properly fixed and mounted: | 72 144 | No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO | | | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO | 144 | No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO | 144 72 | No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO | 144 72 36 | No No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO v. Spherical fitting c/w bulb -3 NO | 144 72 36 | No No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO v. Spherical fitting c/w bulb -3 NO <u>KITCHEN</u> | 144 72 36 144 | No No No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO v. Spherical fitting c/w bulb -3 NO <u>KITCHEN</u> i. Kitchen sink,2NO taps and waste- 1NO | 144 72 36 144 72 | No No No No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO v. Spherical fitting c/w bulb -3 NO <u>KITCHEN</u> i. Kitchen sink,2NO taps and waste- 1NO ii. Spherical light fitting cleaning-1NO | 144 72 36 144 72 36 36 144 72 36 | No No No No No | | |
| | properly fixed and mounted: i. Wash Hand basin with -2NO ii. Automatic Sensor Taps(15mm diam)-4NO iii. Urinal slab-1 NO iv. Handrier-1NO v. Spherical fitting c/w bulb -3 NO <u>KITCHEN</u> i. Kitchen sink,2NO taps and waste- 1NO ii. Spherical light fitting cleaning-1NO iii. Socket outlet ivory 2 NO | 144 72 36 144 72 36 72 36 72 36 72 36 72 | No No No No No No | | |

| | e)Ensuring zero foul water leakages | 36 | No | | |
|------|---|------|------|------|--------|
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | MEZANNINE FLOOR | | | | |
| | a)Checking the following to ensure that they are properly fixed and mounted: | | | | |
| | vi. Wash Hand basin -2NO | 72 | No | | |
| | vii. Water closet- 4 NO | 144 | No | | |
| | viii. Automatic Sensor Taps(15mm diam)-1NO | 36 | No | | |
| | ix. Handrier-1NO | 36 | No | | |
| | x. 2ft flourescent c/w bulb -2 NO | 72 | No | | |
| | xi. Ditto 4ft- 1NO | 36 | No | | |
| | xii. Spherical light fitting-3NO | 144 | No | | |
| | xiii. Cmmon area- Spherical light fitting 1NO | 36 | No | | |
| | KITCHEN | | | | |
| | iv. Kitchen sink,2NO taps and waste- 1NO | 72 | No | | 1 |
| | v. Spherical light fitting cleaning-1NO | 36 | No | | |
| | vi. Socket outlet ivory 2 NO | 72 | No | | |
| | b) Ensuring proper flow of water to all appliances. | 36 | No | | |
| | c) Ensuring proper flow of foul water from all appliances | 36 | No | | |
| | d) Ensuring zero water leakages from all the appliances | 36 | No | | |
| |)Ensuring zero foul water leakages | 36 | No | | |
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | BQ33 | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | f) Ensuring proper flush force flow out from the toilet pans to waste line. | 36 | No | | |
| | g)Total elimination of foul smell | 36 | No | | |
| | BASEMENT | | | | |
| | PRESSURISED WATER BOOSTER PUMPS | | | | |
| | | | | | |
| | Servicing of the Water booster pumps as inspected during site visit, to be done on quarterly(3months) basis | 12 | No | | |
| | The following works to be considered for the entire service contract period:- | | | | |

| | Allow for correction of storm water seeping through the roof to the building whose cause is non-structural and cleaning of all gutters and unblocking of the own pipes | 12 | No | | |
|------|---|------|-------|-----------|--|
| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
| | | | | | |
| | | BQ34 | | | |
| | | | | | |
| | | | | | |
| ltem | DESCRIPTION | | Amoun | t (Kshs) | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | COLLECTION PAGE | 4 | | | |
| | BROUGHT FORWARD FROM PAGE BQ 25 | - | | | |
| | | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 26 | - | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 27 | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 28 | - | | | |
| | | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 29 | - | | | |
| | | | | | |
| | BROUGHT FORWARD FROM PAGE BQ 30 | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 31 | - | | | |
| | | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 32 | | | | |
| | | 4 | | | |
| | BROUGHT FORWARD FROM PAGE BQ 33 | - | | | |
| | BROUGHT FORWARD FROM PAGE BQ 34 | - | | | |
| | | 1 | | | |
| | |] | | | |
| | | 4 | | | |
| | | - | | | |
| | | - | | | |
| | | 1 | | | |
| | | 1 | | | |

| | TOTAL FOR TREASURY BUILDING MONTHLY MAINTENANCE,CARRIED TO SUMMARY PAGE | | | | |
|------|--|------|------|------|--------|
| | | | | | |
| | | BQ35 | | | |
| | | - | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ltem | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | | | | | |
| | | | | | |
| 1 | Allow for servicing of the pressurized | | | | |
| | pumps set for pumping of water from | 36 | No. | | |
| | Central bank, as detailed on page BQ 2 and | | | | |
| | the associated tanks, piping to ensure that | | | | |
| | there is no water leakage | | | | |
| | | | | | |
| 2 | Allow for ensuring that both external storm | | | | |
| _ | | 36 | No. | | |
| | water drainage and waste drainage system | 50 | INO. | | |
| | are functioning properly | | | | |
| 2 | | | | | |
| 3 | Allow for correction of water leakage | | | | |
| | through the mechanical ventilation air inlet | 36 | No. | | |
| | duct to the basement | | | | |
| | | | | | |
| 4 | Allow for elimination of roof leakages that | | | | |
| | are not structural and unblocking and repair | 36 | No. | | |
| | of down ducts. | | | | |
| | | | | | |
| 5 | Allow for the general maintenance of the | | | | |
| | steel and plastic tanks at Treasury building | | | | |
| | and bima House including painting once | 36 | No. | | |
| | during contract as shall be directed by the | | | | |
| | Engineer | | | | |
| | | | | | |
| | | | | | |
| | TOTAL CARRIED TO SUMMARY PAGE | | | | |

| | | BQ36 | | | |
|------|---|----------|-------|------------|------------------|
| | | | | | |
| | GRAND SUMMARY PAGE | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ltem | DESCRIPTION | | Amour | nt (Kshs) | |
| | | | | | |
| | | | | | |
| 1 | Total Brought forward from Collection Page BQ | | | | |
| | 10 | | | | |
| | | | | | |
| | | <u> </u> | | | |
| 2 | | | | | |
| 2 | Total Brought forward from Collection Page BQ 24 | | | | |
| | | | | | |
| | | | | | |
| 3 | Total Brought forward from Collection Page BQ | | | | |
| | 35 | | | | |
| | | | | | |
| | | | | | |
| 4 | Total Brought forward from Page BQ 36 | | | | |
| | | | | | |
| | | | | | |
| 5 | Allow For Provisional Sum(Kshs. 8,000,000/=) | | | | |
| | Only for Contingency To be spent as Agreed by | | | | 8,000,000.00 |
| | the Project Manager | | | | |
| | | | | | |
| 6 | Total Brought forward from Provisional Sum for | | | | |
| - | Project Administration For Three (3No.) Years | | | | 1,500,000. |
| | | | | | 00 |
| | | | | | |
| 7 | Total Brought forward from Provisional Sum | | | | |
| | (Kshs. 3,600,000/=) for Providing Essential services and Spare Parts For 3No, Years and | | | | 3,600,00 0.00 |
| | Training of Treasury Personnel | | | | 0.00 |
| | | | | | |
| | Sub Total | | | | |
| | | | | | |
| | | 1 | | | |
| | Add 16 % VAT | 1 | | | |

| Grand Total carried to form of tender | | |
|---------------------------------------|--|--|
| | | |

| Tenderers' Name & Address | |
|---------------------------|---|
| | |
| • | Date |
| | VAT Reg. No |
| Witness' Name & Address | |
| | |
| | |
| | ••••••••••••••••••••••••••••••••••••••• |

SECTION XI – STANDARD FORMS

- (i) Form of Tender
- (ii) Tender securing declaration
- (iii) Confidential Business Questionnaire
- (iv) Form of written power Attorney
- (v) Certificate of bidders visit to site
- (vi) Key personnel
- (vii) Completed works
- (viii) Non-completed works beyond completion date
- (ix) Schedule of on-going projects
- (x) Financial standing
- (xi) Other supplementary information
- (xii) Litigation history
- (xiii) Work methodology
- (xiv) Declaration form (Debarment)
- (xv) Integrity declaration statement
- (xvi) Anti-corruption declaration commitment Pledge
- (xvii) Letter of acceptance
- (xviii) Form of contract agreement
- (xix) Form of security
- (xx) Request for Review Form

SCHEDULES OF SUPPLEMENTARY INFORMATION SCHEDULE 1:- FORM OF TENDER

To: The Principal Secretary The National Treasury P.O. Box 30007 - 00100 <u>NAIROBI</u>

Dear Sir,

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

1. In accordance with the Instructions to Tenderers, Conditions of Contract, Specifications and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of:

- 2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Employer"s Representative"s notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract.
- 3. We agree to abide by this tender for **a period of days from the date of tender opening** and shall remain binding upon us and may be accepted at any time before that date.
- 4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.
- 5. Understand that you are not bound to accept the lowest or any tender you may receive.

Dated this20.....

Signaturein the capacity of

duly authorized to sign tenders for and on behalf of:

PIN No.

| VAT CERT | IFICATE No |
|----------|------------------------------|
| | Name Address Signature |

SCHEDULE 2:- FORM OF TENDER SECURITY FROM BANK

WHEREAS

.....(he

reinafter called "the Tenderer") has submitted his tender dated For the supply, delivery, installation, testing PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY.

THE CONDITIONS of this obligation are:

1. If after tender opening the Tenderer withdraws his tender during the period of tender validity specified in the instructions to Tenderers

Or

- 2. If the Tenderer, having been notified of the acceptance of his tender by the Employer during the period of tender validity:
 - (a) fails or refuses to execute the form of Agreement in accordance with the Instructions to Tenderers, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Tenderers;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by his is due to him, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force for a period of 210 days from the date of tender opening, and any demand in respect thereof should reach the Bank not later than the said date.

| (Date) | (Signature of the Bank) | |
|-----------|----------------------------|--|
| (Witness) | (Seal) (v) | |

FORM OF TENDER SECURITY FROM INSURANCE

THE CONDITIONS of this obligation are:

3. If after tender opening the Tenderer withdraws his tender during the period of tender validity specified in the instructions to Tenderers

Or

- 4. If the Tenderer, having been notified of the acceptance of his tender by the Employer during the period of tender validity:
 - (a) fails or refuses to execute the form of Agreement in accordance with the Instructions to Tenderers, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Tenderers;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by his is due to him, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force for a period of 210 days from the date of tender opening, and any demand in respect thereof should reach the Insurance not later than the said date.

| (Date) | (Signature of the Insurance) |
|-----------|------------------------------|
| | |
| (Witness) | (Seal) |

SCHEDULE 3: CONFIDENTIAL BUSINESS QUESTIONAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a). 2(b) or 2(c) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

Part 1 - General:

| Business name | |
|---|----------------|
| Location of business premises | |
| Plot NoStreet/Road | |
| Postal AddressTel No | |
| Nature of business | |
| | |
| Current Trade Licence NoExpiring date | |
| Maximum value of business which you can handle at an | y one time: |
| Kshs | |
| Name of your bankers | |
| Branch | |
| Are you an agent of the Kenya National Trading Corpor | ration? YES/NO |
| Part 2(a) - Sole Proprietor: | |
| Your name in full | |
| Age | |
| NationalityCountry of origin | |
| *Citizenship details | |
| Part 2(b) - Partnership: | |
| Give details of partners as follows: | |
| Name Nationality Citizenship Det | ails* Shares |
| 1 | |
| 2 | |
| 3 | |

| Part 2(c) - Registere | ed Company: | |
|-----------------------|-----------------------|---|
| Private or public | | |
| State the nominal a | nd issued capital of | the company- |
| Nominal Kshs | | |
| Issued Kshs | | |
| Give details of all d | irectors as follows: | |
| Name | Nationality* | Citizenship Details**Shares*** |
| 1 | | |
| 2 | | |
| 3 | | |
| Date | Signature c | of Bidder |
| *Attach proof of cit | tizenship (Certified | Copy of National ID or Passport) (Compulsory) |
| ** Indicate by birth | n, registration or na | turalization (Compulsory) |
| | | |

*** Attach certified copy of Recent Form CR12 (Compulsory)

Part 3- Interest in the Firm:

Is there any person / The national Treasury and Economic Planning who has interest in this firm?

| Yes**** | No**** | |
|---------|--------|--|
|---------|--------|--|

.....

Date Signature of Bidder

**** Tick (v) to agree as necessary (Compulsory)

SCHEDULE 4: FORM OF WRITTEN POWER OF ATTORNEY

The Bidder shall state here below the name(s) and address of his representative(s) who is/are authorized to sign the document and receive on his behalf correspondence in connection with the Bid.

(Name of Bidder's Representative in block letters) (Address of Bidder's Representative) (Signature of Bidder's Representative) Alternate: (Name of Bidder's Representative in block letters) (Address of Bidder's Representative)

(Signature of Bidder's Representative)

Note:

To be filled by all Bidders.

Both representative and alternate must attach copy of National Identification card or Passport.

SCHEDULE 5: CERTIFICATE OF BIDDER'S VISIT TO SITE

PRE-BID SITE VISIT CERTIFICATE

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY

COMPANY REPRESENTATIVE

| NAME: | |
|-------|--|
|-------|--|

DESIGNATION:

Date

OFFICIAL STAMP

TREASURY REPRESENTATIVE

NAME:....

SIGNATURE:.....

DATE:....

OFFICIAL STAMP

Signed

Date

NOTE: This form is to be completed at the time of the organized site visit.

SCHEDULE 6: KEY PERSONNEL

| DESIGNATION | NAME | NATIONALITY | SUMMARY OF QUALIFICATIONS AND EXPERIENCE | | |
|--|------|-------------|---|---------------------------------|----------------------------------|
| | | | Qualification s | General Experienc e (Yrs) | Specific Experienc e (Yrs) |
| Headquarters | | | | | |
| Partner/Directo r or other key staff (give designation) | | | | | |
| Site Office Site Agent | | | | | |
| Foreman | | | | | |
| | | | | | |

Note: The Bidder shall list in this schedule the key personnel he will employ from the Contractor's headquarters and from the Contractor's site office to direct and execute the work together with their qualifications, experience, position held and nationality in accordance with Clause 10 of the Conditions of Contract. Where required, use separate sheets to add extra data for column 4). Bidders shall attach certified copies of academic certificates, and CVs of all key staff.

I certify that the above information is correct.

(Signature of Bidder)

..... (Date)

SCHEDULE 7A: SCHEDULE OF CONSTRUCTION WORKS CARRIED OUT BY THE BIDDER IN **THEFIVE YEARS**

| DESCRIPTION OF WORKS | NAME OF CLIENT | VALUE OF WORKS (KSHS) * | YEAR COMPLETED/ REMARKS |
|-------------------------|----------------|-------------------------------|-------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Note: Bidders shall attach certified copies of letters of award (for each listed project), certified copies of completion certificates.

I certify that the above works were successfully carried out by this Bidder.

..... (Signature of Bidder)

.....

(Date)

* Value in Kshs using Central Bank of Kenya mean exchange rate at a reference date 7 days before date of BID opening

SCHEDULE 7B: NON-COMPLETED WORKS BEYOND COMPLETION DATE

| DESCRIPTION OF WORKS | NAME OF CLIENT | VALUE OF WORKS (KSHS) * | YEAR COMPLETED/ REMARKS |
|-------------------------|----------------|-------------------------------|-------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Note: Bidders shall attach certified copies of letters of award (for each listed project), certified evidence for executed works for non-completed projects e.g copy of recent payment certificate.

I certify that the above works were successfully carried out by this Bidder.

(Signature of Bidder)

.....(Date)

* Value in Kshs using Central Bank of Kenya mean exchange rate at a reference date 7 days before date of BID opening

| SCHEDULE 8: SCHEDULE OF ONGOING PROJECTS | | | | | | |
|--|-------|-------------|---------|--------|----------|-----------|
| DESCRIPTIO | NAME | DATE OF | DATE OF | VALUE | VALUE | PHYSICALL |
| N OF | OF | COMMENCEMEN | | OF | COMPLETE | Y |
| WORKS | CLIEN | Т | N | WORK | D UP TO | COMPLETE |
| | Т | | | S | DATE % | D UP TO |
| | | | | (KSHS) | | DATE % |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

LIEDLUE & CLUEDLUE OF ONCOINC PROJECT

Note: 1. Bidders shall attach certified copies of letters of award (for each listed project) and any certified evidence for executed works e.g. copy of recent payment certificate.

2. Bidders must indicate all their on-going works as at the time of bidding. Any nondisclosure shall constitute non-responsiveness)

I certify that the above works are being carried out by me and that the above information is correct.

(Signature of Bidder)

(Date)

SCHEDULE 9: FINANCIAL STANDING

- 1 Submit copies of audited profit and loss statements, balance sheet and Cash flow statements for the last two calendar years and estimated projection for the next two years with certified English translation where appropriate. These must be be signed by Certified Public Accountant recognized by ICPAK and atleast one Director.
- 2 Give turnover figures for each of the last two (2) financial years. Quote in millions and decimal thereof.

| | Year 1() | Year 2() |
|--------------------------------------|---------------|---------------|
| | Ksh. '000,000 | Ksh. '000,000 |
| Roadworks | | |
| Other Construction Engineering works | | |
| Other (specify) | | |
| Total | | |

SUMMARY OF ASSETS AND LIABILTIES OF THE AUDITED FINANCIAL STATEMENTS OF THE LAST TWO (2) FINANCIAL YEARS.

| | Year 1() | Year 2() |
|----------------------------|----------|----------|
| | KShs. | KShs. |
| 1. Total Assets | | |
| 2. Current Assets | | |
| 3. Bank Credit Line Value | | |
| 4. Total Liabilities | | |
| 5. Current Liabilities | | |
| 6. Net Worth (1-4) | | |
| 7. Working capital (2+3-5) | | |

(a) Name/Address of Commercial Bank providing credit line

.....

.....

(b) Total amount of credit line Kshs.....

Attach certified copies of financial bank statements of the last six months.

Attach a certified copy of Undertaking of the Bank to providing the credit.

SCHEDULE 10: OTHER SUPPLEMENTARY INFORMATION

Financial reports for the last three years, balance sheets, profit and loss statements, auditors' reports etc. List them below and attach copies.

Evidence of access to financial resources to meet the qualification requirements. Cash in hand, lines of credit etc. List below and attach copies of supporting documents. Must submit Bank statements for the last six months, signed and stamped by the issuing bank.

Name, address, telephone, telex, fax numbers of the Bidders Bankers who may provide reference if contacted by the Contracting Authority.

.....

I certify that the above information is correct.

Date

Signature of Bidder

SCHEDULE 11: LITIGATION HISTORY

Information on litigation history in which the Bidder was involved.

| OTHER PARTY (IES) | CAUSE OF DISPUTE | AMOUNT INVOLVED (KSHS) |
|-------------------|------------------|------------------------------|
| | | |
| | | |

I certify that the above information is correct.

..... Date Signature of Bidder

SCHEDULE 12: WORK METHODOLOGY

Give a brief description of how you intend to carry out the work including traffic management and quality assurance of works, in not less than three (3) pages and not more than five (5) pages (typed, font 12 and single spaced).

SCHEDULE 13: DECLARATION FORM (DEBARMENT)

DECLARATION FORM

То

The Principal Secretary, The National Treasury And Planning, P.O. Box 30007-00100 NAIROBI

We (name and address)_____

_____declare the following:

That we;

- a) Have not been debarred from participating in public procurement.
- b) Have not been involved in and will not be involved in corrupt and fraudulent practices regarding public procurement.

------Name of Bidder

Signature

Date

(To be signed by authorized representative and officially stamped)

SCHEDULE 14: INTEGRITY DECLARATION STATEMENT

UNDERTAKING BY TENDERER ON ANTI – BRIBERY POLICY / CODE OF CONDUCT AND COMPLIANCE PROGRAMME

- 1. Each Tenderer must submit a statement, as part of the Tender documents, in either of the two given formats which must be signed personally by the Chief Executive Officer or other appropriate senior corporate officer of the Tendering company and, where relevant, of its subsidiary in the Kenya. If a Tender is submitted by a subsidiary, a statement to this effect will also be required of the parent company, signed by its Chief Executive Officer or other appropriate senior corporate officer.
- 2. Tenderers will also be required to submit similar No-bribery commitments from their subcontractors and consortium partners; the Tenderer may cover the subcontractors and consortium partners in its own statement, provided the Tenderer assumes full responsibility.
 - a) Payment to agents and other third parties shall be limited to appropriate compensation for legitimate services.
 - b) Each Tenderer will make full disclosure in the Tender documentation of the beneficiaries and amounts of all payments made, or intended to be made, to agents or other third parties (including political parties or electoral candidates) relating to the Tender and, if successful, the implementation of the contract.
 - c) The successful Tenderer will also make full disclosure [quarterly or semi-annually] of all payments to agents and other third parties during the execution of the contract.
 - d) Within six months of the completion of the performance of the contract, the successful Tenderer will formally certify that no bribes or other illicit commissions have been paid. The final accounting shall include brief details of the goods and services provided that they are sufficient to establish the legitimacy of the payments made.
 - e) Statements required according to subparagraphs (b) and (d) of this paragraph will have to be certified by the company's Chief Executive Officer, or other appropriate senior corporate officer.
- 3. Tenders which do not conform to these requirements shall not be considered.

4. If the successful Tenderer fails to comply with its No-bribery commitment, significant sanctions will apply. The sanctions may include all or any of the following:

- a) Cancellation of the contract;
- b) Liability for damages to the public authority and/or the unsuccessful competitors in the Tendering possibly in the form of a lump sum representing a pre-set percentage of the contract value (liquidated).

5. Tenderers shall make available, as part of their Tender, copies of their anti-Bribery Policy/Code of Conduct, if any, and of their-general or project - specific - Compliance Program.

6. The Government of Kenya has made special arrangements for adequate oversight of the procurement process and the execution of the contract, and has invited Construction society and other competent Government Departments to participate in the oversight. Those charged with the oversight responsibility will have full access to all documentation submitted by Tenderers for this contract, and to which in turn all Tenderers and other parties involved or affected by the project shall have full access (provided, however, that no proprietary information concerning a Tenderer may be disclosed to another Tenderer or to the public).

SCHEDULE 15: ANTI-CORRUPTION DECLARATION COMITMENT/ PLEDGE

(Sections39, 40,41,42,43 & of the PPD Act, 2005)

FORM SD2

7.12 SELF DECLARATION FORMS - CORRUPT OR FRAUDULENT PRACTICE SELF DECLARATION THAT THE PERSON/ TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

I, of P. O. Box being a resident of being a in the Republic of do hereby make a statement as follows: -

1. THAT I am the REGIONAL Executive/Managing Director/Principal Officer/Director of (insert name of the Company) who is a Bidder in respect of Tender No. for (insert tender title/description) for (insert name of the Procuring entity) and duly authorized and competent to make this statement, Kenya Subsidiary Legislation, 2020

2. THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of(insert name of the Procuring entity) which is the procuring entity.

4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender

5. THAT what is deponed to hereinabove is true to the best of my knowledge information and belief.

(Title) (Signature) (Date)

Bidder's Official Stamp

(r.47)

SELF DECLARATION FORMS - DEBARRED

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

I, of Post Office Box being a resident of in the Republic of do hereby make a statement as follows: -

2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.

3. THAT what is deponed to hereinabove is true to the best of my knowledge, information and belief.

| (Title) | (Signature) | (Date) |
|---------|-------------|--------|

Bidder Official Stamp

LETTER OF ACCEPTANCE

[Letter head paper of TREASURY]

[*date*]

To: [name and address of the Contractor]

This is to notify you that your Tender dated [*date*] for execution of the [*name of the Contract and identification number, as given in the Contract Data Sheet*] for the Contract Price of the equivalent of [*amount in numbers and works*] [*name of currency*], as corrected and modified in accordance with the Instructions to Tenderers is hereby accepted by us.

We confirm that [*insert name proposed by TREASURY*] to be the Adjudicator.

We accept that [*name proposed by Tenderer*] be appointed as Adjudicator.

Or

We do not accept that [*name proposed by Tenderer*] be appointed as adjudicator, and by sending a copy of this letter of acceptance to [*insert the name of the Appointing Authority*], we are hereby requesting [*name*], the Appointing Authority, to appoint the adjudicator in accordance with Clause 44.1 of the Instructions to Tenderers.

You are hereby instructed to proceed with the execution of the said works in accordance with the Contract documents.

Please return the contract dully signed.

Authorized Signature: Name and Title of Signatory:_____

Name of Agency:_____

Attachment: Form of Contract

FORM OF CONTRACT AGREEMENT

This Agreement, made the [*day*] day of [*month*], [*year*] between [*name and address of Procuring Entity*] (hereinafter called "TREASURY") and [*name and address of Contractor*] (hereinafter called "the Contractor") of the other part.

Whereas TREASURY is desirous that the Contractor execute [*name and identification number of contract*] (hereinafter called "the Works") with the objectives of *[insert functional objectives of the works]* and TREASURY has accepted the Tender by the Contractor for the execution and completion of such works and the remedying of any defects therein in the sum of *[contract price in words and figures]* (hereinafter called "Contract Price").

NOW THIS AGREEMENT WITNESSES AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as pert of this Agreement;
- 2. In consideration of the payments to be made by TREASURY to the Contractor as hereinafter mentioned, the Contractor hereby covenants with TREASURY to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract;
- 3. TREASURY hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

In Witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The Common Seal of _____

Was hereunto affixed in the presence of:_____

Signed, Sealed, and Delivered by the said _____

| In the presence of: | |
|---------------------|--|
| • | |

Tendering Signature of Procuring Entity_____ Binding Signature of Contractor _____

SECTION XII: FORMS OF SECURITY

A. <u>Tender Security (Bank or Insurance Guarantee)</u> (Optional)

Page 150 of 197

[If required, the **Bank or Insurance Company/Tenderer** shall fill in this Guarantee form in accordance with the instructions indicated in brackets.]

[insert bank's or insurance company's name, and address of issuing branch or office]

Beneficiary: [insert name and address of Procuring Entity]

Date: [insert date]

TENDER GUARANTEE No.:[insert number]

We have been informed that *[insert name of the Tenderer; if a joint venture, list complete legal names of partners]* (hereinafter called "the Tenderer") has submitted to you its Tender dated *[insert date]* (hereinafter called "the Tender") for the execution of *[insert name of Contract]* under Invitation for Tenders No. *[insertIFT number]* ("theIFT").

Furthermore, we understand that, according to your conditions, Tenders must be supported by a Tender Guarantee.

At the request of the Tenderer, we *[insert name of bank or insurance company]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[insert amount in figures expressed in the currency of the Purchaser's Country or the equivalent amount in an international freely convertible currency] ([insert amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Tenderer is in breach of its obligation(s) under the Tender conditions, because the Tenderer;

- a) Has withdrawn its Tender during the period of Tender validity specified by the Tenderer in the Form of Tender; or
- b) Does not accept the correction of errors in accordance with the Instructions to Tenderers (hereinafter "the ITT") of the IFT; or
- c) Having been notified of the acceptance of its Tender by TREASURY during the period of Tender validity;
 - (i). Fails or refuses to execute the Contract Form, if required, or
 - (ii). Fails or refuses to furnish the Performance Security, in accordance with the ITT.

This Guarantee shall expire;

- a) If the Tenderer is the successful Tenderer, upon our receipt of copies of the Contract signed by the Tenderer and of the Performance Security issued to you by the Tenderer; or
- b) If the Tenderer is not the successful Tenderer, upon the earlier of;
 - (i) Our receipt of a copy of your notification to the Tenderer that the Tenderer was unsuccessful, or
 - (ii) Thirty days after the expiration of the Tenderer's Tender.

Consequently, any demand for payment under this Guarantee must be received by us at the office on or before that date.

[signature(s) of authorized representative(s)]

Performance Bank or Insurance Guarantee [Unconditional]

[The Bank or Insurance Company/successful Tenderer providing the Guarantee shall fill in this form in accordance with the instructions indicated in brackets, if TREASURY requires this type of security.]

[insert bank's or insurance company's name, and address of issuing branch or office] Beneficiary: [insert name and address of Procuring Entity]

Date: [insert date]

PERFORMANCE GUARANTEE No.: *[insert Performance Guarantee number]*

We have been informed that *[insert name of Contractor]* (hereinafter called "the Contractor") has entered into Contract No. *[insert reference number of the Contract]* dated with you, for the execution of *[insert name of Contract and brief description of Works]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Contractor, we *[insert name of Bank or Insurance Company]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[insert amount in figures]* (*[insert amount in words]*), such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change, addition or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any change, addition, or modification.

This guarantee shall expire not later than thirty days from the date of issuance of the Taking-Over Certificate.

[Signature of an authorized representative(s) of the Bank or Insurance Company]

B. Bank or Insurance Guarantee for Advance Payment

[Bank's or Insurance Company's Name and Address of Issuing Branch or Office]

| Beneficiary: | _ [Name and Address of Procuring Entity] |
|------------------------------|--|
| Date: | |
| ADVANCE PAYMENT GUARANTEE No | .: |

We have been informed that *[name of Contractor]* (hereinafter called "the Contractor") has entered into Contract No. *[reference number of the contract]* dated ______ with you, for the execution of [*name of contract and brief description of Works]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum *[amount in figures]* (______) *[amount in words]* is to be made against an advance payment guarantee.

At the request of the Contractor, we *[name of Bank or Insurance Company]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (________) *[amount in words]* upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor used the advance payment for purposes other than the costs of mobilization in respect of the Works.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between _____ [name of Procuring Entity] and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

No drawing may be made by you under this guarantee until we have received notice in writing from you that an advance payment of the amount listed above has been paid to the Contractor pursuant to the Contract.

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that eighty (80) percent of the Contract Price has been certified for payment, or on the ____ day of _____, 2___, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

| Yours truly, |
|------------------------------------|
| Signature and seal: |
| Name of Bank or Insurance Company: |
| Address: |
| Date: |

SITE VISIT FORM

SCHEDULE 3: CERTIFICATE OF BIDDER'S VISIT TO SITE

This is to certify that

[*Name/s*] Of Representative

.....

.....

Being the authorized representative/Agent of [Name of bidder].....

.....

.....

.....

participated in the organised inspection visit of the site of the works for the

TENDER NO: TNT/OT/050/2024-2025

PROPOSED MAINTENANCE OF PLUMBING, DRAINAGE AND SANITARY APPLIANCES AT TREASURY BUILDING, HERUFI AND BIMA HOUSE BUILDINGS FOR THE NATIONAL TREASURY- NAIROBI

(MECHANICAL WORKS

| Held | onday of | |
|--------|---------------------------------|---------------|
| Signec | 1 | |
| | (Employer's Representative) | |
| | | |
| | | |
| (Name | e of Employer's Representative) | (Designation) |

NOTE: This form is to be completed at the time of the organized site visit.

SECTION XIII: APPLICATION TO PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD FORM RB 1

REPUBLIC OF KENYA

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF......20.....

BETWEEN

.....APPLICANT

AND

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical address......Fax No.....Tel. No.....Email, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:-

FOR OFFICIAL USE ONLY

SIGNED Board Secretary

PART III - CONDITIONS OF CONTRACT AND CONTRACT FORMS

SECTION VIII - GENERAL CONDITIONS OF CONTRACT

These General Conditions of Contract (GCC), read in conjunction with the Special Conditions of Contract (SCC) and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

These General Conditions of Contract have been developed on the basis of considerable international experience in the drafting and management of contracts, bearing in mind a trend in the construction industry towards simpler, more straightforward language.

The GCC can be used for both smaller admeasurement contracts and lump sum contracts.

General Conditions of Contract

A. General

1. Definitions

1.1 Bold face type is used to identify defined terms.

- a) **The Accepted Contract** Amount means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
- b) **The Activity Schedule** is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.
- c) **The Adjudicator** is the person appointed jointly by the Procuring Entity and the Contractor to resolve disputes in the first instance, as provided for in GCC 23.
- d) **Bill of Quantities** means the priced and completed Bill of Quantities forming part of the Bid.
- e) **Compensation Events** are those defined in GCC Clause 42 hereunder.
- f) **The Completion Date** is the date of completion of the Works as certified by the Project Manager, in accordance with GCC Sub-Clause 53.1.
- g) **The Contract** is the Contract between the Procuring Entity and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC Sub-Clause 2.3 below.
- h) **The Contractor** is the party whose Bid to carry out the Works has been accepted by the Procuring Entity.
- i) **The Contractor's Bid** is the completed bidding document submitted by the Contractor to the Procuring Entity.
- j) **The Contract Price** is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.
- k) **Days** are calendar days; months are calendar months.
- 1) **Day works** are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
- m) **A Defect** is any part of the Works not completed in accordance with the Contract.
- n) **The Defects** Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor.
- o) **The Defects Liability Period** is the period **named in the SCC** pursuant to Sub-Clause 34.1 and calculated from the Completion Date.
- p) **Drawings** means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract, include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
- q) **The Procuring Entity** is the party who employs the Contractor to carry out the Works, **as specified in the SCC**, who is also the Procuring Entity.
- r) **Equipment** is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.

- s) **"In writing" or "written"** means hand-written, type-written, printed or electronically made, and resulting in a permanent record;
- t) The Initial Contract Price is the Contract Price listed in the Procuring Entity's Letter of Acceptance.
- u) **The Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is **specified in the SCC**. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- v) Materials are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- w) **Plant is** any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- x) **The Project Manager** is the person **named in the SCC** (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- y) SCC means Special Conditions of Contract.
- z) **The Site** is the area of the works as **defined as such in the SCC**.
- aa) **Site Investigation Reports** are those that were included in the bidding document and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- bb) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- cc) **The Start Date** is **given in the SCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- dd) **A Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- ee) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- ff) **A Variation** is an instruction given by the Project Manager which varies the Works.
- gg) **The Works** are what the Contract requires the Contractor to construct, install, and turn over to the Procuring Entity, **as defined in the SCC**.

2. Interpretation

- 21 In interpreting these GCC, words indicating one gender include all genders. Words indicating the singular also include the plural and words indicating the plural also include the singular. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.
- 22 If sectional completion is specified in the SCC, references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 23 The documents forming the Contract shall be interpreted in the following order of priority:
 - a) Agreement,
 - b) Letter of Acceptance,
 - c) Contractor's Bid,
 - d) Special Conditions of Contract,
 - e) General Conditions of Contract, including Appendices,
 - f) Specifications,
 - g) Drawings,
 - h) Bill of Quantities⁶, and
 - i) any other document **listed in the SCC** as forming part of the Contract.

⁶In lump sum contracts, delete "Bill of Quantities" and replace with "Activity Schedule."

3. Language and Law

- 31 The language of the Contract is English Language and the law governing the Contract are the Laws of Kenya.
- 32 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Procuring Entity's Country when
- a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country; or
- b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods from that country or any payments to any country, person, or entity in that country.

4. Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Procuring Entity and the Contractor in the role representing the Procuring Entity.

5. Delegation

5.1 Otherwise **specified in the SCC**, the Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may revoke any delegation after notifying the Contractor.

6. Communications

61 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.

7. Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Procuring Entity in writing. Subcontracting shall not alter the Contractor's obligations.

8 Other Contractors

81 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Procuring Entity between the dates given in the Schedule of Other Contractors, as **referred to in the SCC.** The Contractor shall also provide facilities and services for them as described in the Schedule. The Procuring Entity may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

9. Personnel and Equipment

- 9.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
- 92 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
- 93 If the Procuring Entity, Project Manager or Contractor determines, that any employee of the Contractor be determined to have engaged in Fraud and Corruption during the execution of the Works, then that employee shall be removed in accordance with Clause 9.2 above.

10. Procuring Entity's and Contractor's Risks

10.1The Procuring Entity carries the risks which this Contract states are Procuring Entity's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

11. Procuring Entity's Risks

- 11.1From the Start Date until the Defects Liability Certificate has been issued, the following are Procuring Entity's risks:
 - a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to
 - i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
 - ii) negligence, breach of statutory duty, or interference with any legal right by the Procuring Entity or by any person employed by or contracted to him except the Contractor.
 - b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Procuring Entity or in the Procuring Entity's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.
- 112From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is a Procuring Entity's risk except loss or damage due to
 - aa) a Defect which existed on the Completion Date,
 - bb) an event occurring before the Completion Date, which was not itself a Procuring Entity's risk, or
 - cc) the activities of the Contractor on the Site after the Completion Date.

12. Contractor's Risks

121From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Procuring Entity's risks are Contractor's risks.

13. Insurance

- 13.1The Contractor shall provide, in the joint names of the Procuring Entity and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles **stated in the SCC** for the following events which are due to the Contractor's risks:
 - a) loss of or damage to the Works, Plant, and Materials;
 - b) loss of or damage to Equipment;
 - c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
 - d) personal injury or death.
- 132Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.
- 133If the Contractor does not provide any of the policies and certificates required, the Procuring Entity may effect the insurance which the Contractor should have provided and recover the premiums the Procuring Entity has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 134Alterations to the terms of an insurance shall not be made without the approval of the Project Manager.

135Both parties shall comply with any conditions of the insurance policies.

14. Site Data

14.1The Contractor shall be deemed to have examined any Site Data **referred to in the SCC**, supplemented by any information available to the Contractor.

15. Contractor to Construct the Works

15.1The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.

- 16. The Works to Be Completed by the Intended Completion Date
- 16.1The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.
- **17.** Approval by the Project Manager
- 17.1The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
- 172The Contractor shall be responsible for design of Temporary Works.
- 173The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
- 17.4The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.
- 175All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.

18. Safety

18.1The Contractor shall be responsible for the safety of all activities on the Site.

19. Discoveries

19.1Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Procuring Entity. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

20. Possession of the Site

20.1The Procuring Entity shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date **stated in the SCC**, the Procuring Entity shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.

21. Access to the Site

21.1The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

22. Instructions, Inspections and Audits

- 22.1The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.
- 222The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and subconsultants to keep, accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
- 223The Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Procuring Entity and/or persons appointed by the Public Procurement Regulatory Authority to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Public Procurement Regulatory Authority. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 25.1 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Public Procurement Regulatory Authority's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Public Procurement Regulatory Authority's prevailing sanctions procedures).

23. Appointment of the Adjudicator

- 23.1The Adjudicator shall be appointed jointly by the Procuring Entity and the Contractor, at the time of the Procuring Entity's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the SCC, to appoint the Adjudicator within 14 days of receipt of such request.
- 232Should the Adjudicator resign or die, or should the Procuring Entity and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Procuring Entity and the Contractor. In case of disagreement between the Procuring Entity and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority designated in the SCC at the request of either party, within 14 days of receipt of such request.

24. Settlement of Claims and Disputes

241Contractor's Claims

- 24.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give <u>Notice to the Project Manager</u>, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 24.1.2 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub- Clause shall apply.
- 24.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 24.1.4 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Procuring Entity's liability, the Project Manager may, after receiving any notice under this Sub-Clause, monitor the record- keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Project Manager to inspect all these records, and shall (if instructed) submit copies to the Project Manager.
- 24.1.5 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
 - a) this fully detailed claim shall be considered as interim;
 - b) the Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Project Manager may reasonably require; and
 - c) the Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Project Manager.
- 24.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Project Manager and approved by the Contractor, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 24.1.7 Within the above defined period of 42 days, the Project Manager shall proceed in accordance with Sub-Clause

- 24.1.8 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 24.1.9 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 24.1.10 If the Project Manager does not respond within the timeframe defined in this Clause, either Party may consider that the claim is rejected by the Project Manager and any of the Parties may refer to Arbitration in accordance with Sub-Clause 24.4 [Arbitration].
- 24.1.11 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 24.3.

242A micable Settlement

24.2.1 Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 24.1 above should move to commence arbitration after the fifty-sixth day from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

243Matters that may be referred to arbitration

- 24.3.1 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
 - a) The appointment of a replacement Project Manager upon the said person ceasing to act.
 - b) Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
 - c) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
 - e) Any dispute arising in respect of war risks or war damage.
 - f) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

244Arbitration

- 24.4.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 24.3 shall be finally settled by arbitration.
- 24.4.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 24.4.3 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 24.4.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 24.4.5 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 24.4.6 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Project Manager, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Project Manager from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 24.4.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.

- 24.4.8 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Project Manager shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 24.4.9 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

245Arbitration with National Contractors

- 24.5.1 If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
 - i) Architectural Association of Kenya
 - ii) Institute of Quantity Surveyors of Kenya
 - iii) Association of Consulting Engineers of Kenya
 - iv) Chartered Institute of Arbitrators (Kenya Branch)
 - v) Institution of Engineers of Kenya
- 24.5.2 The institution written to first by the aggrieved party shall take precedence over all other institutions.

246Alternative Arbitration Proceedings

24.6.1 Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

247Failure to Comply with Arbitrator's Decision

- 24.7.1 The award of such Arbitrator shall be final and binding upon the parties.
- 24.7.2 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

248Contract operations to continue

- 24.8.1 Notwithstanding any reference to arbitration herein,
 - a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - b) the Procuring Entity shall pay the Contractor any monies due the Contractor.

25. Fraud and Corruption

- 25.1The Government requires compliance with the country's Anti-Corruption laws and its prevailing sanctions policies and procedures as set forth in the Constitution of Kenya and its Statutes.
- 252The Procuring Entity requires the Contractor to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

B. Time Control

26. Program

- 26.1Within the time stated in the SCC, after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
- 262An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence

of the activities.

- 263The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.
- 264The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.

27. Extension of the Intended Completion Date

- 27.1The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
- 272The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

28. Acceleration

- 28.1When the Procuring Entity wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Procuring Entity accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Procuring Entity and the Contractor.
- 282If the Contractor's priced proposals for an acceleration are accepted by the Procuring Entity, they are incorporated in the Contract Price and treated as a Variation.

29. Delays Ordered by the Project Manager

29.1The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

30. Management Meetings

- 30.1Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
- 302The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Procuring Entity. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

31. Early Warning

- 31.1The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 312The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.

C. Quality Control

32. Identifying Defects

321The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.

33. Tests

33.1If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.

34. Correction of Defects

- 34.1The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the SCC. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- 342Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.

35. Uncorrected Defects

35.11f the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

D. Cost Control

36. Contract Price⁷

36.1The Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

37. Changes in the Contract Price⁸

- 37.11f the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change. The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Entity.
- 372If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

38. Variations

- 38.1All Variations shall be included in updated Programs9 produced by the Contractor.
- 382The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
- 383If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
- 384If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.

⁷In lump sum contracts, replace GCC Sub-Clauses 36.1 as follows:

^{36.1} The Contractor shall provide updated Activity Schedules within 14 days of being instructed to by the Project Manager. The Activity

Schedule shall contain the priced activities for the Works to be performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for materials on site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule. In lump sum contracts, replace entire GCC Clause 37 with new GCC Sub-Clause 37.1, as follows:

The Activity Schedule shall be amended by the Contractor to accommodate changes of Program or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule.

⁹In lump sum contracts, add "and Activity Schedules" after "Programs." ¹⁰In lump sum contracts, delete this paragraph.

- 385The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning
- 38.6If the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 39.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work
- 387Value Engineering: The Contractor may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
 - a) the proposed change(s), and a description of the difference to the existing contract requirements;
 - b) a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
 - c) a description of any effect(s) of the change on performance/functionality.

388The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that:

- a) accelerate the contract completion period; or
- b) reduce the Contract Price or the life cycle costs to the Procuring Entity; or
- c) improve the quality, efficiency, safety or sustainability of the Facilities; or
- d) yield any other benefits to the Procuring Entity, without compromising the functionality of the Works.

389If the value engineering proposal is approved by the Procuring Entity and results in:

- a) a reduction of the Contract Price; the amount to be paid to the Contractor shall be the **percentage specified** in the SCC of the reduction in the Contract Price; or
- b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in (a) to (d) above, the amount to be paid to the Contractor shall be the full increase in the Contract Price.

39. Cash FlowForecasts

39.1When the Program¹¹, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.

40. Payment Certificates

- 40.1The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
- 402The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
- 403The value of work executed shall be determined by the Project Manager.
- 40.4The value of work executed shall comprise the value of the quantities of work in the Bill of Quantities that have been completed12.
- 405The value of work executed shall include the valuation of Variations and Compensation Events.
- 406The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

Page 148 of 197

40.7Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (which would be the tender price), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows: (corrected tender price – tender price)/tender price X 100.

41. Payments

- 41.1Payments shall be adjusted for deductions for advance payments and retention. The Procuring Entity shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of each certificate. If the Procuring Entity makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.
- 412If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 413Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.
- 41.4Items of the Works for which no rate or price has been entered in shall not be paid for by the Procuring Entity and shall be deemed covered by other rates and prices in the Contract.

42. Compensation Events

42.1The following shall be Compensation Events:

- d) The Procuring Entity does not give access to a part of the Site by the Site Possession Date pursuant to GCC Sub-Clause 20.1.
- e) The Procuring Entity modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
- f) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
- g) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
- h) The Project Manager unreasonably does not approve a subcontract to be let.
- i) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
- j) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Procuring Entity, or additional work required for safety or other reasons.
- k) Other contractors, public authorities, utilities, or the Procuring Entity does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- 1) The advance payment is delayed.
- m) The effects on the Contractor of any of the Procuring Entity's Risks.
- n) The Project Manager unreasonably delays issuing a Certificate of Completion.
- 422If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 423As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project

Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the Contractor shall react competently and promptly to the event.

¹¹In lump sum contracts, add "or Activity Schedule" after "Program."

¹²In lump sum contracts, replace this paragraph with the following: "The value of work executed shall comprise the value of completed activities in the Activity Schedule."

424The Contractor shall not be entitled to compensation to the extent that the Procuring Entity's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.

43. Tax

43.1The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 30 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of GCC Clause 44.

44. Currency y of Payment

44.1All payments under the contract shall be made in Kenya Shillings

45. Price Adjustment

45.1Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

P = A + B Im/Io

where: P is the adjustment factor for the portion of the Contract Price payable.

A and B are coefficients¹³ specified in the SCC, representing the non-adjustable and adjustable portions, respectively, of the Contract Price payable and Im is the index prevailing at the end of the month being invoiced and IOC is the index prevailing 30 days before Bid opening for inputs payable.

452If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.

46. Retention

- 46.1The Procuring Entity shall retain from each payment due to the Contractor the proportion stated in the **SCC** until Completion of the whole of the Works.
- 462Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with GCC 53.1, half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" Bank guarantee.

47. Liquidated Damages

- 47.1The Contractor shall pay liquidated damages to the Procuring Entity at the rate per day stated in the **SCC** for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the SCC. The Procuring Entity may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
- 472If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC Sub-Clause 41.1.

48. Bonus

48.1The Contractor shall be paid a Bonus calculated at the rate per calendar day **stated in the SCC** for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.

49. Advance Payment

- 49.1The Procuring Entity shall make advance payment to the Contractor of the amounts stated in the **SCC** by the date stated in the **SCC**, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Procuring Entity in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid, but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.
- 492The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.
- 493The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.

50. Securities

50.1The Performance Security shall be provided to the Procuring Entity no later than the date specified in the Letter of Acceptance and shall be issued in an amount **specified in the SCC**, by a bank or surety acceptable to the Procuring Entity, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 28 day from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond.

51. Dayworks

- 51.1If applicable, the Dayworks rates in the Contractor's Bid shall be used only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
- 512All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
- 513The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

52. Cost of Repairs

521Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

E. Finishing the Contract

53. Completion

53.1The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed.

54. Taking Over

54.1The Procuring Entity shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion.

55. FinalAccount

55.1The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall

decide on the amount payable to the Contractor and issue a payment certificate.

¹³The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the non-adjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other non-adjustable components. The sum of the adjustments for each currency are added to the Contract Price.

56. Operating and Maintenance Manuals

- 561If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the SCC.
- 562If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC pursuant to GCC Sub-Clause 56.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount **stated in the SCC** from payments due to the Contractor.

57. Termination

57.1The Procuring Entity or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

572Fundamental breaches of Contract shall include, but shall not be limited to, the following:

- a) the Contractor stops work for 30 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
- b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
- c) the Procuring Entity or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction oramalgamation;
- d) a payment certified by the Project Manager is not paid by the Procuring Entity to the Contractor within 84 days of the date of the Project Manager's certificate;
- e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
- f) the Contractor does not maintain a Security, which is required;
- g) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as **defined in the SCC**; or
- h) if the Contractor, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2 a of the Appendix A to the GCC, in competing for or in executing the Contract, then the Procuring Entity may, after giving fourteen (14) days written notice to the Contractor, terminate the Contract and expel him from the Site.

573Notwithstanding the above, the Procuring Entity may terminate the Contract for convenience.

- 574If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.
- 575When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC Sub-Clause 56.2 above, the Project Manager shall decide whether the breach is fundamental or not.

58. Payment upon Termination

58.11f the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as specified in the SCC. Additional Liquidated Damages shall not apply. If the total amount due to the Procuring Entity exceeds any payment due to the Contractor, the difference shall be a debt payable to the Procuring Entity.

582If the Contract is terminated for the Procuring Entity's convenience or because of a fundamental breach of

Contract by the Procuring Entity, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.

59. Property

59.1All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Procuring Entity if the Contract is terminated because of the Contractor's default.

60. Release from Performance

60.1If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Procuring Entity or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

SECTION IX - SPECIAL CONDITIONS OF CONTRACT

Except where otherwise specified, all Special Conditions of Contract should be filled in by the Procuring Entity prior to issuance of the bidding document. Schedules and reports to be provided by the Procuring Entity should be annexed.

| A. General | |
|----------------|---|
| GCC 1.1 (r) | The Procuring Entity is: PRINCIPAL SECRETARY – NATIONAL TREASURY P.O. BOX 30007 – 00100, NAIROBI |
| GCC 1.1 (v) | The Intended Completion Date for the whole works shall be:24 Weeks from the date of Site Possession |
| GCC 1.1 (y) | The Project Manager is: Regional Works Officer, Nairobi Region – State Department of Public Works P.O. Box 42267 - 00100, Nairobi |
| GCC 1.1 (aa) | The Site is located at: Treasury Building - Nairobi |
| GCC 1.1 (dd) | The Start Date shall be: agreed by the Project Manager |
| GCC 1.1 (hh) | The Works consist of: PROPOSED RENOVATION WORKS ON 3RD FLOOR CBK PENSION TOWERS |
| GCC 2.2 | There are No Sectional Completions. |
| GCC 5.1 | The Project Manager [may or may not] delegate any of his duties |
| GCC 8.1 | Schedule of other contractors: N/A |
| GCC 9.1 | Key Personnel |
| | GCC 9.1 is replaced with the following: |
| | 9.1 Key Personnel are the Contractor's personnel named in this GCC 9.1 Special Conditions of Contract. The Contractor shall employ the Key of the Personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of Key Personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid. |
| | [insert the name/s of each Key Personnel agreed by the Procuring Entity prior to Contract signature.] |
| GCC 13.1 | The minimum insurance amounts and deductibles shall be: (a) for loss or damage to the Works, Plant and Materials: [insert amounts]. (b) For loss or damage to Equipment: [insert amounts]. (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract [insert amounts]. (d) for personal injury or death: (i) of the Contractor's employees: [amount]. (ii) of other people: [amount]. |

| GCC 14.1 | Site Data are: KICC - Nairobi |
|-----------------|--|
| | She Data are. KICC - Nairobi |
| GCC 20.1 | The Site Possession Date(s) shall be: as agreed by the Project Manager |
| GCC 23.1 & | Appointing Authority for the Adjudicator: [insert name of Authority]. Nairobi Centre for International Arbitration |
| GCC 23.2 | |
| GCC 24.3 | Hourly rate and types of reimbursable expenses to be paid to the Adjudicator: Applicable rates as per Nairobi Centre for International Arbitration [insert hourly fees and reimbursable expenses]. |
| B. Time Contro | 1 |
| GCC 26.1 | The Contractor shall submit for approval a Program for the Works within <i>14 days</i> from the date of the Letter of Acceptance. |
| GCC 26.3 | The period between Program updates is as guided by the Project Manager [insert number] days. |
| | The amount to be withheld for late submission of an updated Program is [insert amount]. As guided by the project manager |
| C. Quality Cont | rol |
| GCC 34.1 | The Defects Liability Period is: 180 days. |
| D. Cost Control | |
| GCC 38.7 | If the value engineering proposal is approved by the Procuring Entity the amount to be paid to the Contractor shall be _N/A % <i>(insert appropriate percentage. The percentage is normally up to 50%)</i> of the reduction in the Contract Price. |
| GCC 44.1 | The currency of the Procuring Entity's Country is: Kenya Shillings |
| GCC 45.1 | The Contract <i>is not</i> subject to price adjustment in accordance with GCC Clause 45, and the following information regarding coefficients " <i>does not</i> " apply. |
| | The coefficients for adjustment of prices are: N/A |
| | (a) [insert percentage] percent nonadjustable element (coefficient A).(ib) [insert percentage] percent adjustable element (coefficient B). |
| | (c) The Index I for shall be [insert index]. N/A |
| GCC 46.1 | The proportion of payments retained is: 10% |
| GCC 47.1 | The liquidated damages for the whole of the Works are 0.1% percent of the Contract Price per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price. |

| GCC 48.1 | There is no Bonus for early completion. |
|------------------|---|
| GCC 49.1 | The shall be no Advance Payments. |
| GCC 50.1 | The Performance Security amount is: 10% of the Contract Price issued by recognised financial institution or insurance company. (a) Performance Security - Bank Guarantee: in the amount(s) of 10% percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount. |
| E. Finishing the | Contract |
| GCC 56.1 | The date by which "as built" drawings are required is: <i>date agreed by the Project Manager</i> |
| GCC 56.2 | The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is: <i>1% of the Contract Price</i> |
| GCC 57.2 (g) | The maximum number of days is: [insert number; consistent with Clause 47.1 on liquidated damages]. |
| GCC 58.1 | The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is <i>[insert percentage]</i> . |

SECTION X - CONTRACT FORMS

FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD

FORM NO. 2 – REQUEST FOR REVIEW

FORM No. 3-LETTEROF AWARD

FORM No. 4 - CONTRACT AGREEMENT

FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]

FORM No. 7 - ADVANCE PAYMENT SECURITY

FORM No. 8 - RETENTION MONEY SECURITY

FORM No 1: NOTIFICATION OF INTENTION TOAWARD OF CONTRACT

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

FORMAT

- 1. For the attention of Tenderer's Authorized Representative
 - *i)* Name: [insert Authorized Representative's name]
 - ii) Address: [insert Authorized Representative's Address]
 - *iii)* Telephone: [insert Authorized Representative's telephone/fax numbers]
 - *iv)* Email Address: [insert Authorized Representative's email address]

[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]

2. <u>Date of transmission</u>: [*email*] on [*date*] (local time)

This Notification is sent by (Name and designation)

3. Notification of Award

- *i)* Procuring Entity: [insert the name of the Procuring Entity]
- *ii)* Project: [insert name of project]
- *iii)* Contract title: [insert the name of the contract]
- *iv)* ITT No: [insert ITT reference number from Procurement Plan]

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

- 4. Request a debriefing in relation to the evaluation of your tender by submitting a Procurement-related Complaint in relation to the decision to award the contracts.
 - a) The successful tenderers
 - i) Name of successful Tender_____
 - ii) Address of the successful Tender _____
 - iii) Contract price of the successful Tender Kenya Shillings

(in words)

- b) The reasons for your tender being unsuccessful are as follows:
- c) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out.

| SNo | Name of Tender | Tender Price as read out | Tender's evaluated price (Note a) | One Reason Why Not Evaluated |
|-----|----------------|-----------------------------|-----------------------------------|------------------------------|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| | | | | |

(Note a) State NE if not evaluated

5. <u>How to request a debriefing</u>

- a) DEADLINE: The dead line to request a debriefing expires at midnight on [*insert date*] (*local time*).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [*insert date*] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
 - i) Attention: [insert full name of person, if applicable]

- ii) Title/position: [*insert title/ position*]
- iii) Agency: [insert name of Procuring Entity]
- iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website <u>www.ppra.go.ke</u>.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
 - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
 - ii) The complaint can only challenge the decision to award the contract.
 - iii) You must submit the complaint within the period stated above.
 - iv) You must include, in your complaint, all of the information required to support your complaint.

7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [*insert date*] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

| Signature: | | |
|-----------------|------|--|
| Name: | | |
| Title/position: | | |
| Telephone: | | |

FORM NO. 2- REQUEST FOR REVIEW

FORM FOR REVIEW (r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF......20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (Procuring Entity)

REQUEST FOR REVIEW

| I/WeP. O. Box No Tel. NoEmailP. O. Box No Tel. above mentioned decision on the following grounds , namely: |
|--|
| 1. |
| 2. |
| By this memorandum, the Applicant requests the Board for an order/orders that: |
| 1. |
| 2. |
| SIGNED(Applicant) Dated onday of |

SIGNED

Board Secretary

FORM NO 3: LETTER OF AWARD

Letterhead paper of the Procuring Entity]

[date]

To: [name and address of the Contractor]

You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

| Authorized Signature: |
|---------------------------------|
| Name and Title of Signatory: |
| Name of Procuring Entity: |
| Attachment: Contract Agreement: |

FORM NO 4: CONTRACT AGREEMENT

other part:

The Procuring Entity and the Contractor agree as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.
 - a) theNotification of Award
 - b) the Form of Tender
 - c) the addenda Nos____(if any)
 - d) the Special Conditions of Contract
 - e) the General Conditions of Contract;
 - f) the Specifications
 - g) the Drawings; and
 - h) the completed Schedules and any other documents forming part of the contract.
- 3. In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in this Agreement, the Contractor here by covenants with the Procuring Entity to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Procuring Entity here by covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects there in, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

INWITNESS where of the parties here to have caused this Agreement to be executed in accordance with the Laws of Kenya on the day, month and year specified above.

Signed and sealed by ______(for the Procuring Entity)

Signed and sealed by ______(for the Contractor).

FORM NO. 5 - PERFORMANCE SECURITY

[Option 1 - Unconditional Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary: *[insert name and Address of Procuring Entity]*

Date: [Insert date of issue]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

_____(hereinafter called "the Contract").

- 2. Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
- 3. At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of ____(*in words*),¹ such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.
- 4. This guarantee shall expire, no later than the......Day of.........Day of.......,2.....², and any demand for payment under it must be received by us at the office indicated above on or before that date.
- 5. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

²Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM No. 6- PERFORMANCE SECURITY

[Option 2– Performance Bond]

[**Note:** Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

[Guarantor letterhead or SWIFT identifier code]

Beneficiary: *[insert name and Address of* Procuring Entity*]*

Date: _____[Insert date of issue]

PERFORMANCE BOND No.__

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

- 1. By this Bond ______ as Principal (hereinafter called "the Contractor") and ______] as Surety (hereinafter called "the Surety"), are held and firmly bound unto ______] as Obligee (hereinafter called "the Procuring Entity") in the amount of __for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
- 2. WHEREAS the Contractor has entered into a written Agreement with the Procuring Entity dated the day of ______, 20_____, for _______ in accordance with the documents, plans, specifications, and amendments there to, which to the extent here in provided for, are by reference made part here of and are here in after referred to as the Contract.
- 3. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations there under, the Surety may promptly remedy the default, or shall promptly:
 - a) Complete the Contract in accordance with its terms and conditions; or
 - b) Obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Procuring Entity to Contractor under the Contract, less the amount properly paid by Procuring Entity to Contractor; or
 - c) Pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

- 4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
- 5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Procuring Entity named here in or the heirs, executors, administrators, successors, and assigns of the Procuring Entity.
- 6. In testimony whereof, the Contractor has here unto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly at tested by the signature of his legal representative, this day ______ of ____20___.

| SIGNED ON | on behalf of | |
|--------------------|---------------------|--|
| By | _in the capacity of | |
| In the presence of | | |
| SIGNED ON | on behalf of | |
| By | in the capacity of | |
| In the presence of | | |

FORM NO. 7 - ADVANCE PAYMENT SECURITY

[Guarantor letterhead]

Beneficiary: [Insert name and Address of Procuring Entity]

Date: [Insert date of issue]

ADVANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

- 2. Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum

_____(*in words*_____) is to be made against an advance payment guarantee.

- 3. At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of ______(in words______)['] upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant:
 - a) Has used the advance payment for purposes other than the costs of mobilization in respect of the Works; or
 - b) Has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.
- A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account number ______at___.
- 5. The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the day of ____,2

²,² whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance payment as specified in the Contract.

²Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 8 – RETENTION MONEY SECURITY

[Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary: [Insert name and Address of Procuring Entity]

Date:_____[Insert date of issue]

Advance payment guarantee no. [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

1. We have been informed that *[insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture]* (hereinafter called "the Contractor") has entered into Contract No.

[insert reference number of the contract] dated with the Beneficiary, for the execution of *[insert name of contract and brief description of* Works] (hereinafter called "the Contract").

- 2. Furthermore, we understand that, according to the conditions of the Contract, the Beneficiary retains moneys up to the limit set forth in the Contract ("the Retention Money"), and that when the Taking-Over Certificate has been issued under the Contract and the first half of the Retention Money has been certified for payment, and payment of *[*insert the second half of the Retention Money] is to be made against a Retention Money guarantee.
- 3. At the request of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures]__* (*[insert amount in words____]*)^{*t*} upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or showgrounds for your demand or the sum specified there in.

of Applicant's bank].

- 5. This guarantee shall expire no later than the......Day of......2, and any demand for payment under it must be received by us at the office indicated above on or before that date.
- 6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

²Insert a date that is twenty-eight days after the expiry of retention period after the actual completion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

BENEFICIAL OWNERSHIP DISCLOSURE FORM

INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

| Tender Reference No.: | | [insert |
|---------------------------------------|--------------------------------------|--------------|
| identification no] Name of the Tender | Title/Description: | [insert name |
| of the assignment] to: | [insert complete name of Procuring E | ntity] |

In response to the requirement in your notification of award dated *[insert date of notification of award]* to furnish additional information on beneficial ownership: *[select one option as applicable and delete the options that are not applicable]*

I) We here by provide the following beneficial ownership information.

| | Details of all Beneficial | | % of voting rights a person holds in the company | Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No) | Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No) |
|----|--|------------------------------|---|--|--|
| | Full Name | Directly | Directly | 6 | 1. Exerc ises |
| 1. | National identity card number or Passport number | of shares | % of voting rights | right to appoint a majority of the board of the directors or an equivalent | significant influence or control over the Company |
| | Personal Identification Number (where applicable) | Indirectly % of shares | % of voting rights | governing body of the Tenderer: Yes No 2. Is this right held directly or | body of the Company (tenderer) YesNo |
| | Nationality | | | indirectly?: | |
| | Date of birth [dd/mm/yyyy] | | | Direct | 2. Is this influence or |
| | Postal address | | | | control |
| | Residential address | | | Indirect | exercised directly or indirectly? |
| | Telephone number | | | | Direct |
| | Email address | | | | |
| | Occupation or profession | | | | Indirect |
| | | | | | |
| 2. | Full Name | Directly | Directly | 1. Having the | 1. Exerc |

Details of beneficial ownership

| | Details of all Beneficial Owners | % of shares a person holds in the company Directly or indirectly | % of voting rights a person holds in the company | Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No) | Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No) |
|-------|--|---|---|--|--|
| | National identity card number or Passport number | of shares | % of voting rights Indirectly | right to appoint a majority of the board of the directors or an equivalent | ises significant influence or control over the Company |
| | Personal Identification Number (where applicable) | Indirectly % of shares | % of voting rights | governing body of the Tenderer: Yes No 2. Is this right | body of the Company (tenderer) YesNo |
| | Nationality(ies) Date of birth | | | held directly or indirectly?: | 2. Is this |
| | [dd/mm/yyyy] | | | Direct | 2. Is this influence or control |
| | Postal address Residential address | | | | exercised directly or indirectly? |
| | Telephone number | | | Indirect | Direct |
| | Email address | | | | |
| | Occupation or profession | | | | Indirect |
| | <u> </u> | | | | |
| 3. | | | | | |
| e.t.c | | | | | |
| | | | | | |

- II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.
- III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:
 - (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
 - (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
 - (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or
 - (d) exercises significant influence or control, directly or indirectly, over the company.

IV) What is stated to herein above is true to the best of my knowledge, information and belief.

Name of the Tenderer:*[insert complete name of the Tenderer]_____

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of person duly authorized to sign the Tender]

Designation of the person signing the Tender: [insert complete title of the person signing

the Tender]

Signature of the person named above: [insert signature of person whose name and

capacity are shown above]

Date this [insert date of signing] day of...... [Insert month], [insert year]

Bidder Official Stamp

Directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights.

Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Consultant]"

Name of the Consultant:*[insert complete name of the Consultant]_____

*NameofthepersondulyauthorizedtosigntheProposalonbehalfoftheConsultant: ** [insert complete name of person duly authorized to sign the Proposal]*

Signature of the person named above: [insert signature of person whose name and capacity are shown above]

Date signed [insert date of signing] day of...... [Insert month], [insert year]

^{*}In the case of the Proposal submitted by a Joint Venture specify the name of the Joint Venture as Consultant. In the event that the Consultant is a Joint venture, each reference to "Consultant" in the Beneficial Ownership Disclosure Form (including this Introduction there to) shall be read to refer to the joint venture member.

^{**}Person signing the Proposal shall have the power of attorney given by the Consultant. The power of attorney shall be attached with the Proposal Schedules.

| Request for Proposal Reference No. | | [insert |
|--------------------------------------|--|--------------|
| identification no] Name of the Assig | gnment: | [insert name |
| of the assignment] to: | _[insert complete name of Procuring Er | ntity] |

In response to your notification of award dated ______ [insert date of notification of award] to furnish additional information on beneficial ownership: _____ [select one option as applicable and

delete the options that are not applicable]

V) We here by provide the following beneficial ownership information.

Details of beneficial ownership

| Identity of Beneficial Owner | Directly or indirectly holding 25% or more of the shares (Yes / No) | Directly or indirectly holding 25 % or more of the Voting Rights (Yes / No) | Directly or indirectly having the right to appoint a majority of the board of the directors or an equivalent governing body of the Consultant (Yes / No) |
|---|---|--|--|
| [include full name (last, middle, first), nationality, country of residence] | | | |

OR

ii) We declare that there is no Beneficial Owner meeting one or more of the following conditions: directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Consultant.

OR

iii) We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If this option is selected, the Consultant shall provide explanation on why it is unable to identify any Beneficial Owner]